



user manual

Last updated on 03/24/2025

The Melodyne Help Center and this PDF document

This PDF document was generated automatically from the contents of the Melodyne Help Center. It contains what, on the date indicated on the front page, were the latest versions of the text and images.

You will find the comprehensive and invariably up-to-date Melodyne Help Center along with numerous films and inspiring tutorials, as well naturally as the latest version of this PDF document, on our web site. Why not take a look? Just follow the link at the foot of each page of this PDF.

Melodyne in Pro Tools with ARA

[Melodyne essential in Pro Tools](#) • [Invoking Melodyne](#) • [The Melodyne area](#) • [The contents displayed in Melodyne](#) • [Tip: Working with long files](#) • [Using the Melodyne algorithm for tempo adjustments](#) • [Arranging clips](#) • [Bypass and compare](#) • [Clear and Undo](#) • [Removing Melodyne](#) • [Melodyne > Render](#) • [Melodyne > Show/Hide Notes](#) • [Other ways in which ARA streamlines your workflow](#)

Melodyne 5 essential – Quick Start

[Integration](#) • [Checking the algorithm](#) • [Editing](#) • [The macros](#) • [What else should I read?](#)

Melodyne expert tips

[Melodyne essential in Pro Tools](#) • [Lead vocals](#) • [Background vocals](#) • [Guitar and bass](#) • [Other instruments and mixing](#) • [Workflows and techniques](#)

Stefan's Quick Tips

[Workflow](#) • [Editing](#)

Reference manual videos

[Fundamentals and workflow](#) • [Tools and functions](#) • [Algorithms and note assignment](#) • [Tempo](#)

How to get your Melodyne

[Who is entitled to a Melodyne 5 essential?](#) • [How is Melodyne installed?](#) • [What if I already own a Melodyne?](#)
• [What happens after the installation?](#) • [How is Melodyne activated?](#) • [What purpose is served by my
Celemony user account?](#) • [What is the relationship between Melodyne and my Pro Tools subscription?](#)

Installation and activation

[Procedure and terminology](#) • [What files are installed and where](#) • [Your user account](#) • [Licence options:](#)
[Deactivate](#) • [Checking for updates](#) • [Selling your license](#) • [Uninstalling Melodyne](#)

Updates and upgrades

[Terminology: major and minor updates, upgrades](#) • [Checking for updates](#) • [Information about your edition,
version and serial number](#) • [How updates and upgrades are performed and what the process involves](#) • [iLok
when updating or upgrading](#) • [Compatibility after an update or upgrade](#) • [Parallel operation of old and new
versions after an update or upgrade](#) • [Going back to your old Melodyne](#) • [What upgrades are available and
what benefits do they bring](#)

Playback, navigation, zooming

[Local playback in Melodyne](#) • [Controlling playback, scrubbing and zooming using the Time Ruler](#) • [Resizing
the window](#) • [Scrolling and zooming in the Note Editor](#) • [Navigation and zoom functions](#)

Cycle mode

[Defining the cycle range](#) • [Switching cycle mode on and off](#) • [Changing the length of, and moving, the cycle
range](#) • [Defining the cycle range using a blob selection](#)

Display and other options

[Showing and hiding elements of the user interface](#) • [Show Pitch Curve](#) • [Show Note Separations](#) •
[Displaying sibilants](#) • [Show Blob Info](#) • [Show Intended Notes](#) • [Monitor When Editing Blobs](#) • [Show Clip
Borders](#)

Preferences and keyboard shortcuts

[Opening the window and user interface settings](#) • [The audio cache](#) • [Shortcuts](#) • [Check for Updates](#)

Audio characteristics and algorithms

[The detection process](#) • [The Universal algorithm](#) • [The “Percussive” algorithms](#) • [The Melodic algorithm](#) • [The “Polyphonic” algorithms](#) • [Switching algorithms](#) • [Automatic or manual algorithm selection](#)

Note Assignment Mode

[What editing the detection involves](#) • [What is edited and where](#) • [Various types of notes](#)

Tools for note assignment

[The Main Tool in Note Assignment Mode](#) • [The Activation Tool](#) • [Starting point lines and designated starting points](#) • [The Note Separation Tool and the Separation Type Tool](#) • [The Starting Point Tool](#)

The Time Grid

[Activating and setting the Time Grid](#) • [Moving notes when the grid is active](#)

Chord recognition and the Chord Track

[Limitations of the editions Melodyne essential and assistant](#) • [One Chord Track for all Melodyne instances](#) • [Triggering the harmonic analysis](#) • [Selecting between alternative designations](#) • [Entering chords manually](#) • [Keyboard shortcuts for editing the chords](#) • [Auditioning chords](#) • [Chord symbol conventions](#) • [The Key Track and key changes](#) • [The Key Track and the Scale Ruler](#) • [Interaction with the chord track of the DAW](#) • [Chords and keys in Note Assignment Mode](#)

The Pitch Grid

[The functions of the Pitch Ruler and access to the Pitch Grid](#) • [The Pitch Grid and the background in the Note Editor](#) • [The Scale Ruler and the Reference Pitch Ruler](#) • [Adjusting the master tuning](#) • [Selecting the tonic and scale variety](#) • [The Scale Window](#)

Tracks and clips

[Changes to clips that Melodyne follows automatically](#) • [Special flexibility in the copying of clips](#) • [The Track and Clip editing modes](#)

Special aspects of track compositing (“comping”) in Pro Tools

[Making layers visible](#) • [Applying Melodyne to the individual takes](#) • [Melodyne modes: Track Edit vs Clip Edit](#)

Selecting notes

[Standard selection techniques](#) • [Snake selection](#) • [Selection using the Pitch Ruler](#)

Correct Pitch Macro

[Opening and using the macro](#) • [Closing the macro and correction values when it is reopened](#) • [The Correct Pitch macro and sibilants](#)

Quantize Time Macro

[Quantizing timing: What is moved and where to?](#) • [Opening the Quantize Time Macro and setting the parameters](#) • [Closing the macro and correction values on reopening](#)

The Leveling Macro

[Opening and setting the Leveling Macro](#) • [The Mean Amplitude](#) • [Closing the macro and correction values when it is subsequently re-opened](#)

Main Tool

[Modifying the pitch and timing of notes](#) • [Modifying note lengths](#) • [Editing note separations](#)

Copying notes

[The selection, cursor and grid when copying](#) • [Tempo adjustment when copying: the Auto Stretch Switch](#) • [Copying in an ARA context](#)

Audio to MIDI

[About Audio-to-MIDI](#) • [Exporting MIDI](#)

Time stretching and tempo adjustment

[The TCE tool](#) • [Adjusting the tempo with the Tempo track](#) • [The other tempo options in Melodyne](#)

Switching to Melodyne studio trial mode

[Switching to trial mode](#) • [Comparing editions](#) • [Expiry of the trial period](#) • [Convinced?](#)

Melodyne 5: Update guide

[The Melodic Algorithm with Sibilant Detection](#) • [Compatibility with Melodyne 4](#) • [The Leveling Macro](#) • [Pitch correction by double-clicking and the Correct Pitch Macro](#) • [Chord Recognition and the Chord Track](#) • [The new Percussive Pitched Algorithm](#) • [Keyboard shortcuts](#)

Pro Tools bundle: essential or coupon?

[Who gets a Melodyne 5 essential and how?](#) • [Where can I find the serial number?](#) • [How does the coupon work?](#) • [What if I have already activated my Melodyne 5 essential by mistake?](#) • [Coupons: terms and conditions of use](#)

Version history

[New in Version 5.4.2](#) • [New in Version 5.4.1](#) • [New in Version 5.4](#) • [New in Version 5.3.1](#) • [New in Version 5.3](#) • [New in Version 5.2](#) • [New in Version 5.1.1](#) • [New in Version 5.1](#) • [New in Version 5.0.2](#) • [New in Version 5.0.1](#)

User manuals for older versions

[Melodyne studio, editor, assistant and essential 4](#) • [Melodyne editor, assistant and essential 2 \(singletrack\)](#) • [Melodyne studio 3](#) • [Ending support for older versions of Melodyne](#)


Melodyne in Pro Tools with ARA

Whether you're a newcomer to Melodyne or have been using it in Pro Tools for some time, you'll find important information here on the use of Melodyne with ARA in Pro Tools.

Melodyne essential in Pro Tools

Invoking Melodyne

First of all, you need to choose the clips or tracks you wish to edit with Melodyne. You can select (in the normal way) one or several clips, in which case they do not all need to be on the same track. Now choose *Melodyne > Edit* from the context menu or from the Clip menu (shortcut: Shift + Ctrl + A). Melodyne will then be applied to all the selected clips. If, instead of selecting individual clips, you right-click on the name of a track and choose *Melodyne > Edit*, Melodyne will be applied to all the clips on that track.




When Melodyne opens, it displays the track contents in the form of Melodyne “blobs”. It has to conduct a brief analysis of the material first, but thereafter everything occurs in real time.

The Melodyne area

The Melodyne area is embedded in the lower half of the Pro Tools edit window. You can resize it by dragging its upper edge. With *Ctrl + Option + 8* on the Mac or *Win + Alt + 8* under Windows, you can expand the Melodyne area to its maximum height.

To close or reopen the Melodyne area, use *Alt/Option + 8* or click on the “Melodyne” tab in the lower left-hand corner of the Edit window.



Alternatively, you can click on the green “light” next to the Elastic Audio / ARA Plug-ins selector in the track header.



The contents displayed in Melodyne

With the following options, you can determine what Pro Tools content is displayed in Melodyne.

If *Options > Follow selection in DAW* is activated in Melodyne, Melodyne always displays the clip currently selected in Pro Tools. Melodyne not only follows suit when you switch to a different clip or track in Pro Tools but also scrolls automatically to the same position in the timeline.

Whenever *Options > Zoom to Selection in DAW* is checked in Melodyne, Melodyne displays exactly the same area of the timeline as is selected in Pro Tools. The zoom range therefore adjusts to the length of the selected clip or to the selected range (if, for example, you swipe in Pro Tools to select only part a clip or a range comprising parts of adjacent clips). This option is somewhat similar to the *E* shortcut in Pro Tools, which zooms to show the selected clip only.

Tip: Even when *Zoom to Selection in DAW* is not activated, if you hold down the Option key and double-click on Melodyne’s horizontal zoom slider, the display will zoom to show the exact range selected in Pro Tools. Double-clicking on the slider without holding down the Option key, on the other hand, adjusts the zoom to the length of the entire track.

Tip: Working with long files


With ARA, Melodyne always analyzes in its entirety the audio file that is being referenced by a clip, even if you have narrowed the clip's boundaries before using Melodyne. This has several advantages. It allows you, for instance, to widen the clip boundaries again later without any further analysis by Melodyne being required.

It does mean, however, that there can be a noticeable hold-up when Melodyne is first used on a clip; this would be the case, for example, if the audio file being referenced by the clip was a live recording lasting several hours (which Melodyne would analyze with the Polyphonic algorithm).


We recommend, therefore, that if you just want to edit part of such a recording, you create a new clip containing only the passage in question and then consolidate it (Edit>Consolidate Clip) before you begin editing with Melodyne. This will create a second, shorter audio file that Melodyne can analyze that much faster.

Using the Melodyne algorithm for tempo adjustments

With a Pro Tools track's Elastic Audio / ARA Plug-in selector, you can opt now to use Melodyne's high-quality algorithms to perform tempo adjustments.



If you have applied Melodyne to any clip on the track, Melodyne will be selected here automatically. Before any tempo adjustment can be performed on a clip, the time base of the corresponding track must be set to "Ticks" not "Samples".



Arranging clips

When you move a clip in Pro Tools to another position on the same track, the notes in Melodyne move along with it.

Copying a clip to another position on the same track creates duplicate notes in Melodyne that can be edited independently of the originals. The same applies when content is copied using the Repeat command in Pro Tools.

When you loop clips in Pro Tools (whether using the menu command or a tool), again, copies of the corresponding notes will appear in Melodyne. These, however, cannot be edited independently. If you change a note in any one of the loops or iterations, the same change will appear in all of them.

When moving or copying a clip to another track, please note the following:

If Melodyne has already been applied to at least one clip on the target track, this will work as expected: the Melodyne content of the clip will be moved or copied along with it. If, however, the target track is still empty, the Melodyne content will be lost. To prevent this happening, before moving or copying the clip, select Melodyne as the tempo adjustment algorithm of the target track (using the Elastic Audio / ARA Plug-ins selector).

When duplicating tracks, the following rules apply: If Melodyne has already been applied to the clips of the source track, it will be applied automatically to the clips of the new track as well, and any edits you have already made to the original clips will be carried over to the new track. From that moment on, however, both tracks will function like independent copies, so you can, for example, with just a few mouse clicks, use a lead vocal track you have previously polished as the source material from which to create vocal harmonies.

Bypass and compare

From the context menu or the Clip menu, you can select *Melodyne > Bypass*. You can only do this if at least one note in the corresponding clip has been edited, otherwise *Bypass* is grayed out.

As an alternative to the Bypass command in Pro Tools, you can use the Compare switch in Melodyne, which is easier and more useful in many situations than a simple bypass.



Clear and Undo


With *Melodyne > Clear* from the context menu, you can reverse all the editing you've performed on the clip in question in Melodyne. So the pitch, timing etc. of the notes are all reset to their original state. Any edits made in Note Assignment mode, on the other hand, are preserved.

Since it undoes all the changes made by Melodyne, this command has the same effect as *Undo All Changes* in Melodyne's Edit or context menus.

If you have not yet edited any notes (or have already cleared all your edits), the Clear command is grayed out.

Removing Melodyne

You can only remove Melodyne from an entire track, not from individual clips. To do this, click on the Elastic Audio / ARA Plug-in selector in the track header and then choose *None* or a menu item other than Melodyne.



If you have not yet done any Melodyne editing on the track, Melodyne will simply be removed from it. If, however, you have already edited notes in Melodyne, a dialog will ask you whether you want to keep ("Commit") or discard your changes.


If you choose "Commit", a new audio file will be created to replace the original clip. The Melodyne edits will then be taken into account, but not the impact of any inserted plug-ins, which makes the Apply command in this dialog significantly different from the Apply command in the Track menu.

Melodyne > Render

This command in Pro Tools replaces the original clip with a new audio file reflecting all the editing you've done in Melodyne. On the new clip that results, however, Melodyne will not be present.

Melodyne > Show/Hide Notes

This command allows you to show or hide the miniature MIDI notes that Pro Tools displays above the waveform of the clips.



This affects all clips and not just the one currently selected. The miniature notes make it easier for you to see on which clips Melodyne has been used and on which it has not. It also reflects the bypass state: The miniature notes are not shown if you've selected *Melodyne > Bypass* for the clip in question.

Other ways in which ARA streamlines your workflow


One of the most important advantages of ARA is that it eliminates altogether the need for transfers. But in other areas, too, ARA brings notable benefits.

Clip-based editing: Melodyne no longer prevents you applying fades to clips or changing their volume in Pro Tools.

Comping: Now Melodyne can be used *during* the comping process rather than afterwards, when important decisions have already been set in stone. Thanks to ARA, every single playlist, i.e., every take, can now be optimized in Melodyne, which allows you to see each of your various options in the best possible light before choosing between them.

Audio-to-MIDI: Even in earlier versions of Pro Tools, audio-to-MIDI was supported by ARA (though the implementation was somewhat primitive): Whenever you dragged a clip onto an instrument or MIDI track, a dialog appeared inviting you to trigger a new Melodyne detection of the material, and the MIDI notes were then derived from this. The snag here was that this new analysis was of the original recording and completely ignored all the painstaking work you may have put in since then, optimizing the melody or the timing and phrasing in Melodyne.

Now, things have improved decisively. You will still see a dialog, but if you do nothing further (i.e., leave the default setting: “Automatic”) and click OK, the MIDI notes generated will be based on the current edited state of the material rather than the original recording.



Melodyne 5 essential – Quick Start


Melodyne 5 essential is a full version of Melodyne offering you the most important Melodyne functions for the editing of vocal and instrument tracks.

Melodyne 5 essential gives you direct access to individual notes within your recordings, allowing you to edit their pitch, position and duration in an intuitive way. The quality of Melodyne's correction of out-of-tune notes is legendary, but you can also introduce melodic variations, create vocal arrangements, quantize audio, improve timing and do many other things with it as well.

Here is a quick and concise guide to getting Melodyne 5 essential up and running.

Integration

You can take advantage of one Melodyne function, Audio-to-MIDI, directly from the Pro Tools user interface. In this case, Melodyne converts your audio to MIDI notes in the background.




However to use Melodyne's full function set you must open Melodyne as an AAX plug-in on the audio track you wish to edit, ideally in the *first* insert slot i.e. ahead of all the other plug-ins in the signal chain – in particular reverb, echo and distortion. Melodyne is most effective when it is given a clean, dry signal. In your ARA-compatible DAW, open Melodyne (using whichever command is provided by your DAW for that purpose) directly on the audio clip(s) you wish to edit with Melodyne. Melodyne will then perform its detection analysis and show you the results in its Note Editor.

Melodyne 5 essential is suitable for the editing of lead vocals and monophonic instruments as well as drum and percussion tracks, but you can also edit entire mixes with it – using functions such as transpose, quantize and time-stretch.

Checking the algorithm

Melodyne's characteristic blobs represent the notes found in your recording, which you can select, drag and edit using the tool provided by Melodyne essential. Before you begin, however, there is one thing you must check:

Based on its analysis of the audio material, Melodyne essential will have chosen to use either its Melodic or its Percussive algorithm. When the Percussive algorithm is used, all the notes are displayed in a single horizontal line; when the Melodic algorithm is used, on the other hand, the vertical position of the notes represents their pitch.



If your audio material is not displayed the way you want, you can change the algorithm by selecting 'Melodic' or 'Percussive', as appropriate, from the Algorithm menu. Please note, however, that if you do this, any editing of the track you may already have done using Melodyne will be lost! That is why, you should always make sure that the correct algorithm has been selected before you begin editing.

Editing


In Melodyne essential, you work exclusively with Melodyne's Main Tool, which can be used not only to change the pitch of notes but also their position in time and their duration as well as to split them. Larger Melodyne editions offer further tools with which you can alter, among other things, the vibrato, amplitude and formant spectrum of notes as well as their internal timing.



Using the Main Tool, you can edit notes individually or entire selections of notes simultaneously.


To change the pitch of a note:

- Click in the middle of the corresponding blob and drag it up or down. The note will move in steps of a semitone.
- If you hold down the Alt key as you drag, the grid will be deactivated and you will be able to move the note by smaller amounts (in steps of a cent).
- If it's the right note but simply out of tune ("off key"), double-click on it and it will snap at once to the intended pitch.



To change the position in time of a note:

- Click in the middle of the corresponding blob and drag it to the left or right. When released, the note will snap to the nearest grid line.
- If, however, you hold down the Alt key as you drag, the grid will be deactivated and you will be able to position the note freely.




To change the duration of a note...

...by making it begin earlier or later: Click the left-hand side of the blob and drag it, respectively, to the left or right.

...by making it end earlier or later: Click the right-hand side of the blob and drag it, respectively, to the left or right.


– If you hold down the Alt key as you drag, this will deactivate the grid, allowing you to position the beginning or end of the note freely.



To split a note in two:

– Position the tool at the intended split point – not on but slightly *above* the blob; the appearance of the mouse pointer will then change, and you will be able to split the note with a double click. This can give you greater flexibility when correcting or reshaping notes.


– The note separation that is created can be removed with a double click to reunite the two segments.




The macros

Whilst the Main Tool is used more to solve specific problems with individual notes, the macros allow you to edit multiple notes and even entire recordings in one go. The macros affect only the notes currently selected, unless none are, in which case they affect all the notes of the audio file. There are three macros:


Correct Pitch, which moves notes to, or towards (you decide how far), the nearest semitone. How far they move also depends upon how badly out of tune they were to begin with. With the second slider, you can rein in pitch drift within notes.



Quantize Time moves notes to or towards (you decide how far) either the intended beat or the nearest line of the selected grid.



Note Leveling allows you to make loud notes quieter, or quiet notes louder, or both. In this way, you can smooth out disparities in volume and give your recordings greater homogeneity. It is also the perfect way to optimize input to any compressor after Melodyne in the signal chain.



What else should I read?

In this tour we have covered only the points needed to get you off to a fast and successful start with Melodyne. But there's plenty more to discover and to learn. Take a look at the list of topics on the left: In the Help Center, you will find each of these topics explained in detail as well as a wide range of video tutorials. You can access these any time via Melodyne's Help menu.

Melodyne expert tips

Rich Crescenti is a freelance engineer who works as a Melodyne specialist for our American distributors, writes pro audio articles, interviews and reviews, and conducts numerous courses and seminars, having clocked up over 10,000 hours of classroom instruction time.

Sensho is an audio engineer, music producer and Melodyne specialist that built his career working in recording studios all over Los Angeles. In his work he explores and shares innovative ways for modern production processes.

Look over the shoulders of our experts in the following videos and watch them at work. Benefit from their experience, and draw fresh inspiration. They are working in each case with Melodyne 5 studio. Smaller editions may differ.

Melodyne essential in Pro Tools

Lead vocals

Background vocals

Guitar and bass

Other instruments and mixing

Workflows and techniques

Stefan's Quick Tips

“Stefan's Quick Tips” are short films, barely one to two minutes in length, but packed with useful tips and neat tricks to help you obtain faster workflows, greater ease of use and – above all – better results from Melodyne. Stefan is not just anyone: He’s part of the Melodyne development team and as Product Specialist shares responsibility for workflow. So if anyone knows, he does!

Stefan will regularly offer a new tip and explain the idea behind it, so you too can become a Melodyne pro. Stay tuned!

Workflow

Editing

Reference manual videos

Here you will find all the videos to accompany the Reference manual, sorted by topic. The videos are in English with subtitles in German, French, Spanish and Japanese. Shown here: Melodyne 5 studio, smaller editions may differ.

Fundamentals and workflow

Tools and functions

Algorithms and note assignment

Tempo

How to get your Melodyne

Below, we describe the procedure for you, as a Pro Tools user, to follow in order to obtain and activate your Melodyne 5 essential.

Who is entitled to a Melodyne 5 essential?

Melodyne 5 essential is available to everyone with an active subscription to Pro Tools Artist, Studio or Ultimate, or a permanent license with an active update and support plan.

How is Melodyne installed?

From Version 2022.9 onward, Melodyne 5 essential is installed automatically along with Pro Tools. This means no action whatever from you is required to install Melodyne.

What if I already own a Melodyne?

When the Pro Tools installation program finds Melodyne is already present on your computer, one of two things will happen: If your Melodyne is older than Version 5, the installation of Melodyne 5 essential will be aborted, leaving your existing system untouched. An existing Melodyne 5, on the other hand, will be updated, because at least Version 5.3 of Melodyne is required for ARA integration into Pro Tools. But don't worry: An existing Melodyne 5 studio, editor or assistant will remain the edition it is.


If, for example, you are currently running Melodyne editor Version 5.2 and then update Pro Tools to Version 2022.9, your Melodyne editor will be updated in the process to Version 5.3.

If you already own Melodyne 5 and have not yet made use of the serial number for Melodyne 5 essential in the Pro Tools bundle, you can use it as a coupon in our web shop – e.g., for a future update or upgrade. [This tour explains all the details.](#)

What happens after the installation?

Before you can use Melodyne in Pro Tools, you have to activate it. To do this, you must first retrieve your Melodyne 5 essential serial number from your My Avid account. Here's the procedure:


1. Open your browser, go to the Avid website and log in to your account.




2. On the “My Account” page, under “My Products” click on “View My Products”.
3. Click on the triangle next to Melodyne essential to expand the entry.
4. There, under “Activation Code”, you will see your serial number. Copy this onto the clipboard.

How is Melodyne activated?

Once you have copied your Melodyne serial number, choose Melodyne > Edit from the Clip menu to open Melodyne. In the dialog box, click on “Activate”.



The Celemony license page will now open in your browser.



Paste in your serial number and follow the remaining instructions to register and activate your Melodyne 5 essential. All you need do is enter your e-mail address and a password, make your newsletter preferences known, and you can start using Melodyne right away.

What purpose is served by my Celemony user account?

In your Celemony user account, you will find the installation program for your Melodyne 5 essential should you ever need it, you will be able to see on which computers it has been activated, and you can control your newsletter settings.

Your user account is also your go-to place for Melodyne updates, because the update cycles of Melodyne and Pro Tools are independent of one another. Whenever a new Melodyne update is released, you will be able to install it at once using a personalized Melodyne installation program that you will find in your Celemony user account.

Naturally we will keep you informed about updates for your Melodyne – that's why we recommend you subscribe to the Celemony newsletter from your user account. That is because by clicking on the links provided in our newsletters, you can install Melodyne updates in just a few clicks.

But Melodyne itself can also keep you informed, which offers you a quick and user-friendly method of downloading updates. To take advantage, choose "Check for Updates" > "Automatically" from Melodyne's Preferences dialog.

To log in to your Celemony account from your browser, go to www.celemony.com. But you can also access your account directly by clicking the "License" entry in Melodyne's Help menu.

What is the relationship between Melodyne and my Pro Tools subscription?

The license for your Melodyne 5 essential is tied to your Pro Tools subscription. If your subscription is cancelled and expires as a result, you will no longer be able to use your Melodyne 5 essential either. Naturally, if ever you upgrade your Melodyne 5 essential to a larger edition of Melodyne, it will then no longer be tied to Pro Tools and you will be able to use it permanently – even if you no longer have an active Pro Tools subscription.

Installation and activation


From this tour, you will learn all you need to know about installing and activating Melodyne. We begin with the basic procedure and the most important terms before outlining further options and details. From the separate tour “Updates and upgrades”, you can learn how updates and upgrades work and what you need to bear in mind when considering them.

Procedure and terminology

Serial number and Melodyne license: Your serial number is a multi-character string that corresponds to your Melodyne license. If you make the purchase in our web shop, we give you your serial number; if you buy it from a dealer, you will get it from them. If you obtain Melodyne essential as part of a bundle, whoever supplied the bundle will provide the serial number as well.

Registration and user account: Your user account is created when you first register a Melodyne license. To do this, simply enter the serial number. When you make the purchase from our web shop, that is part of the procedure. You can then register any further Melodyne licenses via your user account. From your user account, you can manage your Melodyne licenses, choose your newsletter options and download installation programs.

celemony User account



Installation program: When you download the installation program (whether for macOS or Windows) from your user account, it installs the latest versions of the stand-alone implementation of Melodyne as well as of all the various plug-ins.

Activation: In order to run Melodyne on a particular computer, the computer must first be activated for Melodyne. In the course of this process, Melodyne checks the validity of your license data with our server, so an Internet connection is required. You will be prompted to activate Melodyne the first time you launch the program; this only takes a few clicks and you will need your serial number. Please note: Unlike the deactivation process (see below), you can only activate a computer from the computer itself, not from your user account.

Licence, number of activations and workstations: The standard Melodyne license allows you to use Melodyne on *one* workstation only at a time. However, the license does allow you two activations, the second being an emergency one you can use to activate a substitute computer quickly and easily if, for example, your primary computer breaks down in the middle of a production.

If you wish to use Melodyne simultaneously on two or more workstations, you can purchase further activations, converting your standard license into a team license. If you perform an update or upgrade of your team license for which a charge is made, up to four workstations are included for the same price as a single workstation update or upgrade. For five workstations or more, special purchase discounts and update/upgrade conditions apply. You can find out more about these in our [web shop](#).

What files are installed and where

The installation program you download from your user account installs the stand-alone implementation of Melodyne as well as all the various plug-ins. In the process, the following files are placed in the following locations:

Windows 10

VST 3: C:\Program Files\Common Files\VST3\Celemony\Melodyne.vst3

AAX: C:\Program Files\Common Files\Avid\Audio\Plug-ins\Melodyne.aaxplugin

Melodyne stand-alone: C:\Program Files\Celemony\Melodyne 5\Melodyne.exe

Note for Windows users: For its audio processing, Melodyne needs to be able to store temporary files on your hard disk and read them. For this purpose, a directory called: C:\Users\Documents\Celemony\Separations is created. To avoid Windows Defender (virus protection) being invoked every time data is read from this directory – which would slow Melodyne down drastically – an exclusion from Microsoft Defender anti-virus scans is defined for this folder when Melodyne is installed.*

macOS 10.12 (and later)

VST 3: Macintosh HD/Library/Audio/Plug-Ins/VST3/Melodyne.vst3


AAX: Macintosh HD/Library/Application Support/Avid/Audio/Plug-Ins/Melodyne.aaxplugin

AU: Macintosh HD/Library/Audio/Plug-Ins/Components/Melodyne.component

Melodyne stand-alone: Macintosh HD/Applications/Melodyne 5/Melodyne.app

Your user account

You can access your user account via the menu of our website, the following link: www.celemony.com/login or by choosing License from Melodyne's Help menu.



In addition to the latest installation program for your Melodyne and your newsletter preferences, you will find in your user account various options for managing your license. There is the option, for example, of deactivating an activated computer or of transferring an activation to iLok (except with Melodyne essential or in the case described above of the emergency activation).

Licence options: Deactivate

Any computer that has been activated to run Melodyne can be deactivated. The activation will then be credited to your user account, so that it can be transferred later to a different computer.

This means that if you have no activations left in your user account but wish to use Melodyne on a new computer, you can simply deactivate another computer that is still active, and this will free up an activation to transfer to your new one. You can switch between computers like this as often as you like. The only restriction is the number of computers involved. If you want to switch activations frequently between a fairly large number of computers, we recommend using the iLok USB copy-protection dongle (see next section).


To deactivate a computer: Log in to your user account via our website or by choosing “License” from Melodyne’s Help menu. If you log in via our website, you must click the “License options” button to get to the page with the “Deactivate” option. If you choose “License” from Melodyne’s Help menu, it will take you to this page directly.



Nice to know: The fact that you can deactivate a computer from any other computer (provided you first log in to your user account) is important, as it allows you to retrieve your Melodyne activation from a lost or stolen computer or from one that has broken down. You can only *activate* a computer, on the other hand, from the computer itself and cannot do it through your user account.

Checking for updates

Each time you launch Melodyne, it automatically checks to see whether a newer and better version of the program is available for download. If a new version is available, a page giving you details of it will open in your browser and from this you can download the new version.



If you open the “Check for Updates” page of Melodyne’s “Preferences” dialog, you can opt, if you prefer, to check for updates manually (which is done by clicking the “Check Now” button) rather than have Melodyne do this for you automatically at program launch. We recommend you to leave the default setting (“Automatically”) so that you never miss an important update.

Selling your license

Naturally it is possible to sell your Melodyne, but to do so you need to contact our support. Since the person you sell it to will require their own user account with their own access data, we will have to remove your serial number from your user account and also cancel any activations you may have transferred to iLok. Only then can the license be transferred to the purchaser.

Please note : Resale of a Melodyne license purchased by credit card from our web shop is not possible within three months of the date of purchase. This is to prevent possible credit card fraud.

Uninstalling Melodyne

To uninstall Melodyne under macOS, just run the program “Melodyne Uninstaller”, which you will find in the “Melodyne 5” folder within your “Applications” folder. Under Windows, follow the standard procedure for uninstalling applications.

Updates and upgrades

From this tour, you will learn all about updating and upgrading Melodyne. We explain the installation procedure, the Melodyne license and the activation of the program in the tour “Installation and activation”.

Terminology: major and minor updates, upgrades

Minor update: This is a free update containing bug fixes and perhaps new functions of lesser importance. In this case, although the version number is incremented, its first digit remains the same (e.g. from 5.0.3 to 5.1.0).

Major update: This is an update that contains significant new features and is indicated by a change in the first digit of the version number (e.g. from 4.2.1 to 5.0.0). These updates are not free of charge. Exception: Melodyne essential, for which even major updates are free of charge.


Upgrade: This is a change, for which you do have to pay, from a smaller edition of Melodyne to a larger one with more functions (e.g. from Melodyne essential to Melodyne assistant).

An *upgrade* may also contain a major *update*. For example, an upgrade from Melodyne **4 editor** to Melodyne **5 studio**. It is not necessary to update to editor 5 before upgrading to studio 5.

Checking for updates


Each time you launch Melodyne, it checks automatically to see whether a new and improved version is available for download. If this is the case, a page will open in your browser giving you details and allowing you to download the new version.

In Melodyne’s Preferences dialog, you will find a page entitled “Check for Updates” where you can switch from automatic checks (the default) to manual checks triggered by clicking the “Check Now” button. We recommend you to leave the default setting (“Automatically”) unchanged, so you never miss an important update.




Information about your edition, version and serial number

To discover which version of which edition you have, as well as your serial number, choose Melodyne > “About Melodyne” from the main menu.



The name of your edition and your serial number are also displayed in your user account. There you will also see which basic version you have (i.e. the first digit of your version number: 4, 5 etc.) but not which specific update is currently installed on your computer (e.g. 5.1.0).



How updates and upgrades are performed and what the process involves

When you are notified by Melodyne's Check for Updates function or by newsletter that an update for your Melodyne is available, you will always be provided with a download link for the corresponding installation program. If you learn of an update in some other way or if you have **purchased an upgrade**, you will find the installation program in your user account.

Every update or upgrade requires you to install the latest version of Melodyne. In the case of a free-of-charge *minor* update, that's all there is to it. In the case of a *major* update or an upgrade, on the other hand, you will be given a new license and at the same time your old one will expire. This also means that your old serial number will be replaced by a new one. So Melodyne may also need to be reactivated after the update or upgrade.

When you are reactivating the program after a major update or an upgrade, your old activations will no longer count, because along with your new license you will receive new activations.

A tip about updates: If you are running Melodyne on more than one computer, a major update is liable to involve many changes to the program, some of which may also affect the sound. For this reason, you will probably not want to update Melodyne on the production computer until the projects you are working on there are complete, but you may still want to try out the new version on your laptop. This is not a problem: if you buy an update from Melodyne 4 to Melodyne 5, your activations for Melodyne 4 will not be removed immediately but only after the installation of Melodyne 5. You can update Melodyne on one of the computers and continue to run Melodyne 4 on the other for a transitional period.

iLok when updating or upgrading

With iLok, too, a distinction has to be made between (on the one hand) a *minor* update and (on the other) a *major* update or an upgrade. In the case of a minor update, you don't need to do anything; your iLok USB dongle will continue to work.

With a **major update or an upgrade**, however, you receive a new license, so in both these cases your iLok license must be updated. If you are using iLok, we transfer your new licence automatically to your iLok account, where it replaces the old one.

At this point, action from you is required: To run your new Melodyne, you must then transfer your new Melodyne license from your iLok account to your iLok USB dongle.

Compatibility after an update or upgrade

An update will give you new features and possibilities, but will remain compatible with your existing projects. Please note, however, that we are talking here about *upward* compatibility only: You will be able to open projects saved by your old version of Melodyne in your new one, but you will not be able to open projects saved with your new version of Melodyne in your old one.

In the case of massive leaps, however, such as from Version 1 to Version 5, there will naturally be major differences, as the pace of development at Celemony is unrelenting. New processing methods and bug fixes, as well as new and improved functions, all find expression in higher sound quality – or, to put it in neutral terms, acoustic differences. For this reason, you are advised in case of doubt not to perform this type of major update while you are still working on a project.

Different *editions* of the program are also compatible, provided they have the same version numbers. You can, for instance, open a project created by Melodyne editor Version 5.0.1 in Melodyne essential Version 5.0.1 or even in Melodyne player (a non-activated Melodyne) Version 5.0.1. Everything will sound exactly as it did when it was saved by Melodyne editor, even if some or all of the functions you used to perform the edits in Melodyne editor are not available in Melodyne essential or player.

The reason is that Melodyne editions differ from one another not in the technology they use but in the range of functions they provide. Since Melodyne essential offers fewer functions than Melodyne editor, you will be limited to these when performing any further editing in Melodyne essential of a Melodyne editor project, and no further editing of it at all will be possible using Melodyne player. A wider range of functions, on the other hand, would be available to you if you opened the same editor project in the more powerful Melodyne studio.

Parallel operation of old and new versions after an update or upgrade

This is impossible for technical reasons: DAWs recognize the Melodyne plug-in by its identifier, and this does not change when the product is upgraded or updated. The advantage is that this allows you to update or upgrade Melodyne in the middle of a project and continue working seamlessly. It does mean, however, that you cannot run your old and new versions of Melodyne in parallel inside the same DAW, as they would need to use the same identifier and no DAW will allow the same identifier to be used more than once.

Going back to your old Melodyne

After a major update or upgrade, it is usually not possible to go back to the version or edition of Melodyne you were using previously. However, if serious problems or incompatibilities arise in your system after an update or upgrade, please contact our support. We're sure to find a solution.

What upgrades are available and what benefits do they bring

You can upgrade from any edition of Melodyne to any of the larger editions – even directly from the smallest, Melodyne essential, to the largest, Melodyne studio.

You will find an overview of all updates and upgrades in our web shop. Under “More Info...”, you can discover which key functions and features not offered by your current edition the upgrade will bring you.


You will find a table comparing the various editions [here](#).

Playback, navigation, zooming

This tour will give you an overview of the functions Melodyne offers for navigation and the playing back of audio.

Local playback in Melodyne

If you commence playback from the DAW, using its bar ruler, for example, or transport buttons, the full arrangement plays back. The DAW mixer then determines the balance between tracks. The same is true if you commence playback by double-clicking on the Melodyne ruler. It is also possible, however, to “solo” Melodyne (i.e. for Melodyne to playback on its own); we call this “local playback”. With ARA integration, this local playback is started by double-clicking in the background of the Note Editor.




Local playback in Clip Edit Mode: Here, a significant difference arises at the clip borders between this mode of playback and playback in the DAW: During DAW playback, you hear only what lies within the clip borders selected in the DAW. If any notes are incomplete, due to a poorly positioned clip border slicing off the start or end of the note, this is immediately obvious during DAW playback. During local playback, on the other hand, you can hear material lying beyond the borders of the clip (i.e. in areas with a gray background).

This allows you to check out what the result would be if you were to move the clip borders in the DAW. It can also be useful if, for instance, you wish to use the rest of the track – i.e. the material lying outside the clip as currently defined – as a “note supply” from which to “pinch” notes, by copying them and pasting them into the clip you are working on.

Controlling playback, scrubbing and zooming using the Time Ruler

- Double-click in the Melodyne Time Ruler to start the DAW playback from the corresponding place.
- Double-click in the editing background of Melodyne's Note Editor to start Melodyne only (local playback) from the position in question.
- [Alt]-double-click in the Time Ruler plays back only the current note selection in both the DAW and Melodyne.
- [Alt]-double-click in the editing background of the Note Editor plays back only the selected note segment and only in Melodyne.

These functions can also be triggered during playback.



If you double-click again in the Time Ruler while the playback is in progress, the playback will stop and the playback cursor will move to the point clicked.


A single click in the Time Ruler moves the playback cursor to the point clicked. If you do this while playback is in progress, instead of halting, playback skips to the position clicked and continues from there. If you do it while playback is halted, the playback cursor moves to the position clicked but playback remains halted and only resumes if you double-click in the Time Ruler.

When playback is halted, you can scrub through the audio material by clicking and dragging in the Time Ruler.

By dragging upwards or downwards, you can zoom the display at the current position. Scrubbing and zooming can be used in combination, allowing you to navigate and position the cursor intuitively, setting the zoom factor at the same time.

Resizing the window

To change the size of the window, click and drag the bottom right-hand corner. The procedure is the same for both the stand-alone and plug-in implementations of Melodyne.



Scrolling and zooming in the Note Editor

Select the Scroll Tool (the hand icon) from beneath the main tool or hold down the [Command] and [Shift] keys to move the display area with the mouse.

Select the Zoom Tool (the magnifying glass) from beneath the Main Tool or press [Command]+[Alt] to zoom the display with the mouse. You can zoom horizontally and vertically at the same time – with different levels of intensity in each case.




[Command]+[Shift]+double-click zooms in on one blob or several (if several are selected). A corresponding double-click in the editing background returns you to the previous zoom level.

If your hardware supports the corresponding functions, you can also scroll and zoom with the mouse and trackpad:

- The mouse wheel and swiping with two fingers on the trackpad can be used for horizontal and vertical scrolling.
- Pinching with two fingers on the trackpad zooms the display simultaneously on the horizontal and vertical planes.

Drag the horizontal or vertical scrollers (i.e. the scroll boxes or 'thumbs') to move the display. The horizontal scroller contains a miniaturized image of the contents as an orientation aid.




Drag the ends of the scroller to zoom the display.

If you are editing a particularly long audio file, you may find the reduced size of the scroller makes it difficult to achieve the desired zoom resolution. In that case, you can zoom in further by holding down the [Command] and [Alt] keys whilst dragging in the edit pane or else by dragging vertically in the Time Ruler.

If you pull one end of the horizontal or vertical slider as far as it will go and hold it, you can increase the vertical or horizontal size of the area displayed. This can be useful in the plug-in, for example, when you have only transferred the first three bars (measures) of your material but wish to insert something at bar 20.

Double-click in the center of the scroller to zoom in or out just enough to ensure that all the blobs are displayed. If cycle mode is active, double-clicking on the horizontal scroller zooms the display just enough to ensure that the entire contents of the cycle range are visible.




Use the slider in the bottom right-hand corner near the Note Editor to alter the height of the blobs. This does not alter their volume. Your likely motive will be to obtain a clearer view of material containing a lot of particularly quiet or particularly loud notes.

A note about automatic scrolling in the Note Editor

If you have selected one or several notes, Melodyne assumes that you wish to see and edit them, and exercises the requisite restraint by deactivating the auto-scroll function temporarily. Only when you deselect the notes (for example, by clicking in the background of the Note Editor) and restart the playback does the display resume its pursuit of the playback cursor.

Similarly, if you move the horizontal scroller so far during playback that the playback cursor actually disappears from the screen, automatic scrolling will be deactivated. Stopping and restarting in this case will reactivate the auto-scroll function.

If automatic scrolling has temporarily been deactivated, the auto-scroll icon in the bottom right-hand corner of the Note Editor takes the form shown here.



Navigation and zoom functions


- To resize the window (also in Plugin), drag the bottom right corner
- Hold down the [Command]+[Shift] keys and drag the editing background of the Note Editor to move the area displayed
- Use the mouse wheel to scroll up and down or else (holding the [Shift] key) left and right
- A two-finger swipe on the trackpad can be used to scroll the display
- A two-finger pinch on the trackpad can be used to zoom the display.
- [Command]+[Alt]+drag in the Note Editor serves to zoom the display horizontally and/or vertically
- Drag vertically in the Time Ruler to zoom in on the area indicated
- Press [Command]+[Alt] and use the mouse wheel to zoom both axes simultaneously
- Press [Command]+[Alt] and double-click to zoom in on a blob or the current selection of blobs
- Press [Command]+[Alt] and double-click in the editing background to restore the previous zoom setting
- Drag the scrollers to move the display horizontally or vertically
- Drag the ends of the scroller to zoom the display horizontally or vertically
- Pull the left- or right-hand ends of the horizontal slider as far as they will go to increase the length of the section displayed (important in the plug-in e.g. when you have only transferred the first four bars and are able to navigate only in this area but wish to insert something at bar 20)
- Double-click the scrollers to zoom in or out horizontally or vertically until all notes are displayed
- The slider in the bottom right-hand corner governs the height of the blobs

Cycle mode

In Melodyne's cycle mode, a selected passage is repeated endlessly.

Defining the cycle range


To define a cycle range, click and drag in the lower part of the Time Ruler. If, as you do so, you hold down the [Alt] key, the Time Grid will be ignored, allowing you to position the start and end points (which we call the "cycle locators") freely.



Please note that when ARA is operational, the DAW's cycle and that of Melodyne are firmly coupled: If you change the one cycle, you simultaneously change the other one as well. In the case of Pro Tools (from Version 2022.9 upwards), this means that when you change the length of the loop in Melodyne, you control remotely the edit selection in Pro Tools too.

Switching cycle mode on and off

Double-click on the cycle range in the narrow strip immediately below the Time Ruler to toggle cycle mode on and off. When cycle mode is active, the cycle range is shown in dark grey.




In the stand-alone implementation of Melodyne, you can also switch cycle mode on and off from the transport bar.



It is also possible by choosing File > Preferences > Shortcuts to define a keyboard shortcut for toggling cycle mode on and off.

Changing the length of, and moving, the cycle range

Drag the right- or left-hand locators to alter the length of the cycle range. If, as you do so, you hold down the [Alt] key, the Time Grid will be ignored, allowing you to position the locators freely.



Drag the middle of the cycle range to move it 'en bloc' to the left or right. If, as you do so, you hold down the [Alt] key, the Time Grid will be ignored.



If you [Shift]+click near either of the cycle locators, it will move to the designated position. If, as you do so, you hold down the [Alt] key, the Time Grid will be ignored.

Defining the cycle range using a blob selection

To move the cycle locators to the beginning and end of the current blob selection (snapping to the grid) hold the [Shift] key and double-click anywhere in the cycle range. If you hold the [Alt] key as well as the [Shift] key as you do this, instead of snapping to the grid, the locators will be placed at the beginning of the first, and end of the last, blob in the selection.

Display and other options

Melodyne offers for the user interface and working in the Note Editor various options that allow you to adapt the appearance and behavior of the program to your tastes.


Showing and hiding elements of the user interface

Melodyne's user interface can be adapted to a variety of different work situations and demands. You will find the means of doing so in the Options menu as well as the interface itself.



- “Tempo Dialog” (A): Offers various options governing the way tempo adjustments are performed.
- “Show Scale Ruler” (B): Shows/Hides the Scale Ruler.
- “Pitch Grid Settings” (C): Offers the choice between various options for the Pitch Grid.
- “Time Grid Settings” (D): Offers the choice between various options for the Time Grid.
- “Auto Scroll” (E): When this option is selected, the display in the Note Editor follows the playback cursor. (See also the note below.)
- “Track Edit Mode” (F): Shows the notes of all the regions/clips on the track.
- “Clip Edit Mode” (G): Shows only the notes of the region/clip currently selected.
- With the “Keys” (H) and “Chords” (I) switches, you can show or hide the Key and/or Chord tracks.
- The “Compare” switch (J): This facilitates acoustic and visual A/B comparisons between the edited and original state of the notes.

A note about automatic scrolling in the Note Editor:



If you have selected one or several notes, Melodyne assumes that you wish to see and edit them, and exercises the requisite restraint by deactivating the auto-scroll function temporarily. Only when you deselect the notes (for example, by clicking in the background of the Note Editor) and restart the playback does the display resume its pursuit of the playback cursor.

Similarly, if you move the horizontal scroller so far during playback that the playback cursor actually disappears from the screen, automatic scrolling will be deactivated. Stopping and restarting in this case will reactivate the auto-scroll function.

If automatic scrolling has temporarily been deactivated, the auto-scroll icon in the bottom right-hand corner of the Note Editor takes the form shown here.


All the options described below relate to the Note Editor and are found by choosing Options > Note Editor Options from the main menu or by clicking the cog icon in the top right-hand corner of the Note Editor.

Please note that these options can be selected independently for Edit and Note Assignment modes.

Show Pitch Curve

If you check the option Show Pitch Curve, a thin line tracing the exact pitch of the tone at each instant will be superimposed on the corresponding blob.

On the left, you can see the 'naked' blobs (with none of the Note Editor display options selected) and on the right, the same blobs with the Show Pitch Curve option checked.




Regardless of whether or not this option is checked, the pitch curve will be displayed whenever the Pitch Tool is selected.

Show Note Separations

If you select the option Show Note Separations, gray vertical lines appear at the beginnings and endings of notes indicating their limits or separations.


Note Separations are either shown as lines (soft separations between connected notes) or thin brackets (hard separations).



Note separations are always displayed when the independent Note Separation Tool is in use, regardless of whether or not the menu entry is checked.

Displaying sibilants


If you check the option “Show Sibilants”, the presence of sibilants (usually “s” sounds or breath noise) is indicated by hatching.



Show Blob Info

With the option Show Blob Info, you can elect to show or hide a variety of display elements designed to facilitate working with individual notes.


The most striking of these elements is the Local Pitch Ruler that appears directly in front of any note over which you move the mouse pointer. Within the blob itself, thin lines mark the drag zones for the context-sensitive tools.



If you drag a blob when the Show Blob Info option is checked, a vertical line also appears in the Time Ruler aligned with the exact start of the note. This makes more precise positioning possible.

Show Intended Notes

If you check the option Show Intended Notes, gray frames appear around each blob.



These invariably lie directly on the semitone and coincide exactly with a gridline. They represent, in other words, Melodyne's assumptions (based on its own analysis of the audio) as to the intended pitch of the note and its intended position within the measure or bar. These assumptions generally turn out to be correct, but are not inevitably so. They are to be thought of as suggestions.


The frames also display the positions in pitch and time towards which the notes in question will gravitate if partial quantization is applied to them with the macros, which are also the positions they will snap to if you double-click on them with the Time Tool or Pitch Tool.

Monitor When Editing Blobs

When you shift the pitch of blobs in the Note Editor with this option selected, Melodyne plays for the purpose of orientation the sound of the note at the position originally clicked. You can turn this acoustic feedback on or off.

Show Clip Borders

This option is only visible when you are using ARA. It allows you, if you wish, to hide the gray lines between the clips in Track Mode to obtain a clearer overview of the material in the Note Editor. This is especially useful when the track you are examining contains a large number of clips and you have zoomed the display a long way out.




Preferences and keyboard shortcuts

From the Preferences property sheet, you can select fundamental options governing the modus operandi of Melodyne as well as define a number of keyboard shortcuts.

Opening the window and user interface settings

In the plug-in implementation of Melodyne, you open the Preferences property sheet from the Settings menu; in the stand-alone implementation, choose Preferences from the program (macOS) or File (Windows) menu. The settings available in the stand-alone implementation differ slightly from those offered by the plug-in.



The following user interface options, however, are available in both implementations of Melodyne. Any changes you make in either implementation apply to both.

- **Language:** Determines the language of the user interface.
- **Pitch labels:** Determines which system is used to name the notes – i.e. (descending chromatically) English (C, B, Bb etc.), German (C, H, B etc.) or Latin (Do, Si, Sib etc.).
- **Chord spelling:** Here you can choose the spelling convention used on the Chord Track.
- **Appearance:** Here you can select between different contrast settings for the user interface.
- **Default tuning:** Determines the default frequency of the reference pitch A4 for newly created documents.
- **Maximum undo levels:** Melodyne allows you to undo up to 100 actions. The default value, however, is 25. You can, if you wish, increase this value, which will consume more RAM, or you may prefer to reduce it, if memory is running short.
- **Show tooltips:** Once you are thoroughly familiar with Melodyne, you may prefer to hide the tooltips, i.e. the explanatory text that appears as you move the cursor over the various icons and other elements of the user interface.

The audio cache

On the Audio Cache page of the Preferences dialog you will find the following two options:

- Audio cache: This shows the location of the audio cache Melodyne uses for its work.
- Audio cache size: This allows you to adjust the size of the cache.

The cache is used to store files Melodyne needs temporarily. The size of the files generated depends on the audio files being processed as well as upon the algorithm Melodyne is using for the detection.

If these files are deleted and the Melodyne project that created and was using them is later opened again, they have to be recreated, which, obviously, means it takes a little longer to open the project. If, on the other hand, the files are still available, Melodyne will just carry on using them as before.

You can adjust the size of the cache. If, when the program is next opened, the cache is full, Melodyne frees up space automatically for fresh data.


Please note: The location of the audio cache is predetermined and cannot be altered:

Windows: C:\Users\USERNAME\Documents\Celemony\Separations.

macOS: /Users/USERNAME/Library/Caches/com.celemony.Melodyne/Separations

Shortcuts

From the “Shortcuts” page, you can assign keyboard shortcuts to a large number of Melodyne functions and commands. The functions and commands in question are grouped according to category; click on the triangle alongside a given category to see a list of all the functions it includes. The following screenshot, for example, shows all the commands associated with the editing tools.




Click on a command ("Pitch Modulation Tool" in our example) and then press the key or key combination you wish to assign to it. Melodyne will remember your choice, so any time you press the key or combination in question, this will activate the Pitch Modulation Tool. Repeat the procedure for as many commands as you like.

To the right of each key combination assigned, you will see an "X". If you click on this, you can choose one of the following functions:



- “Delete”: This cancels the assignment, so it will no longer be possible to invoke the command in question using a shortcut.
- “Melodyne 5”: This restores the default shortcut for the command in question. (In the case of many commands – namely those for which there *is* no default shortcut – choosing “Melodyne 5” here will have the same effect as choosing “Delete”).


As an alternative to opening and closing the categories and scrolling through list of commands, you can find the command you’re looking for by typing in the *left-hand* search box. This rapidly narrows the choice and can save time. You don’t have to type the entire name of the command; just typing “Modulation”, for instance, throws up two search results:



If you change your mind, just click on the “x” in the left-hand search box and the original list will be restored in its entirety.


As well as searching by command or function name, you can search for the keys or key combinations already assigned; you do this using the *right-hand* search box. Here, too, an incomplete entry can yield multiple search results, which is very helpful in practice.

For example, suppose you wish to assign a keyboard shortcut to the command that activates the Pitch Modulation Tool. In that case, [M] (i.e. the “M” key on its own, standing here for ‘modulation’) would appear to be the obvious choice; or, if that key’s already taken, perhaps [Shift][M] or [Cmd][M]. To find out, just type “m” in the right-hand search box, and you will see what your options are:




[M] on its own, as you see, has already been assigned, but the combinations [Alt][M] and [Shift][M] are still available.

You could also combine both fields, like this, for example:



This makes it child’s play to find a suitable shortcut. And, naturally, in our example, you could still opt for [M], even though it’s assigned by default to another function; it appears in your filtered list to make it easy for you to reassign it, if you choose to do so.

You can save your preferred shortcut assignments as a set and also load custom-designed sets, including one with keyboard shortcuts that correspond to those of Pro Tools. To manage all such sets, use the gear/cog menu at the top left.



- “... edited”: This shows you which set of shortcuts you are currently using. If it says “Cubase”, for example, and nothing more, this means that the set of shortcuts currently loaded is the one designed for the Steinberg DAW of that name and that you have not yet modified it in any way. If, on the other hand, it said “Cubase (edited)”, this would indicate that, after loading the set designed for Cubase, you had made certain changes of your own. In such cases, you might wish to save the set under a new name (see below).
- “Melodyne 5”: Click here to load the factory default shortcuts for *all* commands and functions. If you do this, any unsaved assignments of your own will be lost.
- “Open” and “Save”: These commands allow you to load an existing set of shortcuts or save the changes you have made to the hard disk. By saving your preferred shortcut assignments, you can take them with you when you change studio and load them into Melodyne there.

When you use the Save function, Melodyne suggests you store your shortcuts in the following folder:

macOS:

/Users/Shared/Library/Application Support/Celemony/Shortcuts/Melodyne5

Windows:


C:\ProgramData\CelemonySoftwareGmbH\Shortcuts\Melodyne5

The advantage of storing your shortcuts in the folder suggested (give them a name such as “MyShortcuts”) is that they will then appear in the list and be readily to hand at all times.

If, on the other hand, you’re travelling to a different studio where you will be working on a different computer, you should simply ignore the folder suggested and save your shortcuts to some other location, such as a USB stick or your Dropbox folder.

Check for Updates

On this page, you can determine whether Melodyne checks for updates automatically or manually i.e. only when you click the 'Check Now' button, which you can do at any time.



Audio characteristics and algorithms

For the display and editing of different types of audio material, Melodyne employs different algorithms. Here, we outline which algorithms are available and for which types of audio material each is used.

The detection process

Melodyne analyzes the audio material to find the notes it contains and offer them to you for editing. We call this process “detection”.

In the course of the detection process, Melodyne itself takes a view as to what kind of material it is confronted with and decides which algorithm to use for the display and playback of the notes. You can tell which algorithm is selected at any given time by the check mark in the Algorithm menu as well as by the blobs in the Note Editor.

A brief overview: Which algorithm for which type of material?


To obtain the most suitable and detailed editing possibilities, for the following sound sources, the following algorithms are generally used:

- Singing, speech, saxophone, flute, monophonic bass etc.: **"Melodic"**
- Drum and percussion sounds or loops, and other percussive sounds with no significant pitched components: **"Percussive"**
- 808-kicks and -toms, tabla and similar percussive sounds with a pitched component: **"Percussive Pitched"**
- Polyphonic instruments of all kinds, loops featuring multiple instruments, and complete mixes, that you wish to time-stretch, quantize or transpose: **"Universal"**

The Universal algorithm


The Universal algorithm is particularly suitable for complex signals containing both percussive and tonal elements. If, for example, you wish to alter the pitch, timing or tempo of an entire piece of music, this algorithm will deliver the best sound quality.

The Universal algorithm, like the Percussive one, displays all the detected notes at the same pitch. The Pitch Ruler displays no note names, merely relative values for the semitones, and the scale functions are deactivated. Please note that “Universal” is never used automatically for the detection; it must be selected manually if required.




The “Percussive” algorithms

The “**Percussive**” algorithms are suitable for recordings of drums and other percussion instruments but also noise and atmospheric effects as well as other material in which Melodyne cannot detect any clear pitch in the sounds. In this case, successive drum strokes (for example) are distinguished, but they are all displayed at the same pitch. The blobs can still be raised or lowered, however the Pitch Ruler does not display the names of any notes but simply relative values in semitones. The scale functions are deactivated.



Some percussion instruments, however, *do* have what can be understood as a melodic capability, in that many of their sounds have a perceived pitch. Certain 808 kick drums, for example, are clearly tuned to the bass. The berimbau, too, for all the percussive character of its sound, plays recognizable melodies – as does the tabla. It is for such instruments – instruments that are in fact percussive yet still somehow also melodic – that the "**Percussive Pitched**" algorithm is intended. Here the detected sounds are separated and assigned to individual pitches. This makes it easy to adjust the tuning of an 808 kick drum, berimbau or tabla to the piece of music in question.




Whilst the Percussive and Universal algorithms are similar in terms of the way the blobs are handled and displayed – just as the Percussive Pitched and Melodic algorithms seem similar at first sight – the two percussive algorithms in fact operate in a different way internally from their optical “twins”, as they are optimized for various aspects of percussive sounds and consequently deliver their most convincing sound quality when dealing with material of a predominantly percussive nature. When dealing with non-percussive sources, however, such as the human voice, guitars, pianos and so forth, they are at a distinct disadvantage compared with the other algorithms, which are optimized for sounds with a distinct pitch.

In case of doubt – with instruments seeming to fall (or perhaps alternate) between the stools “percussive” and “melodic” – the best policy is to try each algorithm in turn.

The Melodic algorithm

Melodic material is monophonic, by which we mean it is such that only one note is ever sounding at any given instant. Please bear in mind, however, that reverberation can cause notes to overlap even in monophonic material, creating, in effect, a kind of polyphony. If melodic material is to be edited in Melodyne, therefore, you should aim for as clean and “dry” (reverberation-free) a recording as possible.

The blobs representing notes in melodic material are displayed at different pitches. Whether the blobs are isolated or joined to other blobs depends on the way they were played or sung: staccato or legato.



The “Melodic” algorithm is predestined for lead vocal tracks, as these are invariably monophonic; for there to be polyphony, there would have to be at least two singers. Furthermore, this algorithm takes into account the sibilants invariably heard in vocal parts. In the term ‘sibilants’, Melodyne includes not only consonants and digraphs such as “s” and “ch”, but also word fragments like “k” and “t” as well as the sound of the vocalist inhaling or exhaling between words.

Such sounds, which Melodyne identifies automatically and displays hatched, share one peculiarity in nature: There is no way singers can give them a particular pitch, so they remain unaffected by melodic changes. This behavior is preserved perfectly by Melodyne’s “Melodic” algorithm: Sibilants remain unaltered even when the word or syllable to which they belong is shifted upwards or downwards in pitch.

Let’s say the word is “sweet”, and we move the blob that represents the note in question upwards or downwards. Whilst the entire note will appear to move, acoustically this will not be the case as the “S” at the beginning and the “T” at the end will sound exactly the same after the pitch shift as they did before; only the “wee” in the middle will change pitch – in the direction, and by the amount, of the blob movement.

When editing timing, too, you will notice that the sibilants (indicated by the hatching) are never unnaturally squeezed or stretched.

This intelligent treatment of sibilants is vital to achieving natural-sounding correction of intonation and timing. Melodyne even takes into account the borderline cases that occur in nature, where sibilants and pitched components are heard simultaneously (rather than successively, as was the case earlier with the word “sweet”).

The “Polyphonic” algorithms

In Melodyne, thanks to DNA Direct Note Access, notes can be detected within recordings even of polyphonic instruments such as the piano or guitar – including the individual notes of which chords are composed. When the Polyphonic algorithms are used, the blobs are displayed in a similar manner to those of monophonic material, with the obvious difference that the blobs are stacked vertically (at their respective pitches) whenever a chord or harmonic interval sounds. For example, in the case of a chord of E minor, you will see the individual notes E, G and B.

In Melodyne essential and assistant, of course, you can only see the notes of polyphonic instruments, displayed as gray blobs. With the editions Melodyne editor and Melodyne studio, on the other hand, can you also edit the polyphonic blobs and change, for example, the G of an E minor chord to G# to obtain a chord of E major.

But even the gray blobs in Melodyne essential and Melodyne assistant are highly useful, as you can use them to discover the chords played by the guitar or the piano and display them in the Chord Track. This chord track then provides you with important clues for editing other melodic sound sources such as bass guitars or vocals.

Please note, however, that in Melodyne essential and Melodyne assistant a polyphonic instrument is never detected *automatically* using a polyphonic algorithm. By default, the Universal algorithm, which allows you to transpose or improve the timing of the material, is used.

If you wish to see the gray, polyphonic blobs, you must choose one of the polyphonic algorithms manually. Then work out the chord track before switching back to the Universal algorithm for the track in question.

How to switch algorithms is explained below. You will find information on the detection and use of chords in the “Chord Detection and the Chord Track” tour.

Your choice between the two polyphonic algorithms should be determined by the type of instrument and the playing technique employed:

- **Polyphonic Sustain** is suitable for a wide range of polyphonic audio material in which the start of each note does not differ significantly from the rest, as is the case with string instruments played legato and organ music.
- **Polyphonic Decay** is a variation of the algorithm designed for instruments or playing techniques where the start of each note is markedly different from the rest of it, examples being string instruments played pizzicato, guitars and pianos.

Switching algorithms

You can at any time select a different algorithm to that chosen automatically for you by Melodyne. You might want to do this, for example, if you find that the material has not been interpreted in a way that suits your editing needs. To do this, while playback is halted, select the algorithm you prefer from the Algorithm menu. Melodyne will reinterpret the material in the light of your choice and adjust the display accordingly.

Note: when you do this, any editing performed prior to switching algorithms, including any copying of notes, will be lost. The right time to decide which algorithm you wish to use, therefore, is before you begin editing.

In the plug-in implementation of Melodyne, the choice of algorithm applies per transfer, whereas in the stand-alone implementation and an ARA DAW, it applies per audio file in the document being edited – collectively, we describe all such material as ‘audio sources’. Before you can change the algorithm applied to a particular audio source, you must first select one or more notes belonging exclusively to it. If you have selected no notes, or notes from two different audio sources, the Algorithm menu will be grayed out. In such cases, reduce your selection to notes belonging to one audio source only and it will be possible to switch algorithms.


A special feature of the stand-alone implementation: When you switch algorithms, triggering a fresh detection, Melodyne looks at the status of the Auto Stretch switch: if the Auto Stretch function is activated, once the new detection is complete, the tempo of the file will also be adjusted: if Auto Stretch is not selected, the original tempo of the file will be retained.

Automatic or manual algorithm selection

By default, Melodyne makes its own determination, based on the characteristics of the sound, as to which is the best algorithm to apply, distinguishing between three types of material:

- Percussive material, in which case the “Percussive” algorithm is selected.
- Monophonic melodic material, in which case the “Melodic” algorithm is selected.
- Polyphonic material, in which case the “Polyphonic Sustain” algorithm is selected.

This default behavior is overridden, however, if you are using files in Melodyne for which you have already saved additional information regarding the algorithm and note detection. (From Note Assignment mode in the stand-alone implementation of Melodyne, it is possible to store this type of assignment data in an audio file.)



Do not forget, however, when you no longer need to impose your choice of algorithm on Melodyne, to restore Automatic as the default setting. Otherwise, since Melodyne remembers your default selection even after you have quit the program, you might be surprised to discover when the program is next launched that your vocals have been interpreted as percussive.

You will find further tips on working with these algorithms in the [Melodyne Training](#) section.

Note Assignment Mode

Since Melodyne invariably conducts an analysis (we call it “detection”) of the audio material before you can do any editing, the correctness or otherwise of this analysis has a considerable influence upon how well you are able subsequently to work with the material and how authentic the results of your editing will sound. For this reason it is important to check whether Melodyne has identified the notes within your material accurately and if necessary correct any mistakes. This where Melodyne’s Note Assignment Mode comes in.

What editing the detection involves


When you are working in Note Assignment Mode, none of the changes you make has any audible effect on the notes themselves. All you are doing is ensuring that the notes that are displayed do actually correspond to those that were played or sung. In other words, you are bringing what you see into line with what you hear. In the process, you are working at all times on the display of the original recording and, with it, so to speak, on the basis for all musical changes made later with Melodyne. The sounder the basis, the better the eventual sound of your edits.

The fact that it is sensible and necessary to check and edit the detection and, with it, the interpretation of the audio material may seem tiresome at first sight. But it brings with it enormous advantages, for there are often several possible interpretations of the audio material, and which is the correct one in a given acoustic and musical context is for you, ultimately, to decide.

But don’t worry. The detection process in Melodyne is mainly automatic and delivers logically coherent results. How much there is to edit in this mode depends upon the algorithm used and the audio material in question. With a dry recording of a single vocalist, for example, you will very rarely encounter problems. It may happen from time to time that a note is detected in the wrong octave, in which case, if you later transpose it, it will sound unnatural. Correcting the detection in such cases is a task swiftly accomplished. The same goes for percussive material, where it is generally only necessary to introduce or remove the occasional note separation.

What is edited and where

Like the choice of algorithm, Note Assignment Mode applies invariably to all the notes of i) a particular audio file, ii) a particular recording, or iii) a particular transferred segment – we will use the term “audio source” to cover all three. When the Note Editor contains notes from different audio sources, begin by selecting a note belonging to the source the detection of which you plan to edit.



Now click the wrench (spanner) icon next to the toolbox of the Note Editor to activate Note Assignment Mode. The background in the Note Editor changes color to show that you are no longer in normal Edit Mode but have switched to Note Assignment Mode. In Note Assignment Mode, what you see and hear is the original state of the audio source; any editing you may have performed on it previously is ignored here.

Any time you click on the blob icon (to the left of the wrench), you will leave Note Assignment Mode and return to Edit Mode. There you will hear once again the results of any editing you performed before switching to Note Assignment Mode. This only applies, however, if you have not changed algorithm in Note Assignment Mode, as any change of algorithm triggers a fresh analysis, and any time you trigger a fresh analysis – any time, in other words, the detection process is repeated – all editing that has been performed on the notes previously is lost.


Various types of notes

A Melodyne “blob” represents a note, but Melodyne distinguishes between several types of note, and it is important – especially when you are working in Note Assignment Mode – to understand the difference between them. They are:

- active notes
- inactive/potential notes
- silent notes.

Most blobs represent **active notes**. These are what Melodyne, having carefully analyzed the recording, believes to have been the notes (i.e. the fundamentals) that were actually played or sung. Active notes correspond to the notes that would be displayed on the sheet music: here a D, here an F#, here another D or an A etc. As well as a definite pitch, active notes have a definite length; and naturally, you can alter these and other characteristics of the notes in Melodyne.


When the Melodic algorithm is used, only one note can ever be active at a time; that is because this algorithm is the one designed for monophonic sound sources (the human voice, say, or an instrument such as the clarinet or trumpet that is only capable of playing one note at a time). With the polyphonic algorithms, which are designed for instruments like the piano or the guitar that are capable of playing chords, or multiple melodic lines simultaneously, two or more notes can be active at the same time, with a separate blob assigned to each. When the audio material has been analyzed using the Percussive or Universal algorithms, however, all the notes of a chord are represented by a *single* blob. So it is better, with these two algorithms, to think of a blob as representing a “slice of time” rather than a musical note. To illustrate the difference, here we see a guitar chord detected (on the left) using the Polyphonic algorithm, and (on the right) using the Percussive one:



From the blobs on the left, you can see exactly which notes comprise the chord. From the “time-slice blob” provided by the Universal algorithm, on the other hand, it is impossible to tell which, or even how many, notes comprise the chord.

In terms of their editability using the tools, there is not a great deal of difference between the ordinary blobs provided by the Polyphonic algorithm and the Universal algorithm's time-slice blobs – except, that is, when it comes to editing chords: When represented by a time-slice blob, a chord can only be transposed *en bloc*, so a chord of F major, for example, could become G major or A major. In other words, the intervals *between* the various notes that make up the chord cannot be changed because all the notes hidden behind the (single) time-slice blob move exactly the same distance when the chord is shifted upwards or downwards. With the Polyphonic algorithm on the other hand, a separate blob is assigned to each of the notes that make up the chord and you can move each blob individually – perhaps in a different direction and/or by a different amount to the blobs above or below it. In this way you can turn an F major into an F minor – or any other chord you like.

Melodyne's **potential notes** form our next category.



Represented by outlines (or “hollow silhouettes”), they lie at pitches where Melodyne thought about drawing a regular, solid blob, but decided in the end to place this somewhere else, leaving the silhouette as a hint at to what might be a possible alternative for that particular note.


So you might consider turning this potential note into a regular note. This, you can only do in Note Assignment Mode, so it is only in Note Assignment Mode that you will ever see a hollow silhouette. Once you return to normal edit mode, only solid blobs (representing the active notes) appear in the display. It should be added that potential notes are only ever encountered with the Melodic or Polyphonic algorithms.

Finally, there are what Melodyne calls **silent notes**. These can be seen in both Note Assignment and normal Edit Mode, regardless of which algorithm is used to detect the material. A silent note appears wherever there is a break between two notes; it corresponds, therefore, to a rest or pause in the score.

Like a rest, then, it has a definite length but no pitch, so you cannot transpose silent notes. Their length, however, will change if the notes that precede them are shortened or lengthened, or if the notes that follow them are moved forwards or backwards in time, in the same way that an eighth note (quaver) rest in the score would become a sixteenth note (semiquaver) rest if the preceding note were lengthened, or the following note moved forward, by the same amount.

Silent notes are not in fact *entirely* silent, because even during breaks between normal notes the recording continues, picking up things like the hiss of the microphone preamp or the hum of the guitar amp, but they are generally far quieter than the notes around them.

Here we see three notes: an active note, followed by a silent one, followed by another active one:



This illustrates the two significant visual characteristics of the silent note: i) it has no Pitch Curve; and ii) it is always placed level with the note to the left of it; if you shift the latter up or down, the silent note moves with it, but the change is purely visual; whatever sounds the silent note represents remain unaltered.

It is when you come to use the tools in Note Assignment Mode that a clear understanding of the nature and behavior of the various types of note found in Melodyne will pay the greatest dividends. That is the subject of the next tour. You will also learn there how to transform silent notes into normal ones – as well as silhouettes into solid blobs and vice versa, thereby activating and deactivating, respectively, the corresponding notes.


Tools for note assignment

The Main Tool in Note Assignment Mode

In Note Assignment Mode, the toolbox contains tools with functions other than those used in normal Edit mode. The most important difference is this: In Note Assignment Mode, the tools have no direct or immediate impact on the sound of the notes; their object, rather, is to bring the detected and displayed notes as closely as possible into line with the actual music. This makes it possible subsequently to edit the material more efficiently and obtain optimal acoustic results.

Which tools are available depends upon the algorithm, as, to a lesser extent, do their functions.

As is the case in normal editing mode, the Main Tool in Note Assignment Mode combines a number of the most important functions of the other tools, so as to allow you to perform a variety of common tasks without having to change tools.




- In the lower part of a blob, the Main Tool functions as the *Activation Tool*.
- In the upper part of a blob, the Main Tool functions as the *Note Separation Tool*.

We will deal with each of these in turn.

The Activation Tool

The Activation Tool has no function when the Percussive and Universal algorithms are selected. What follows, therefore, only applies when either the Melodic or the Percussive Pitched algorithm is selected.



If you move the Activation Tool over a blob, its overtone series will be displayed in the background. This enables you to see at a glance which of the blobs above it coincide in pitch with the partials of the note selected.

In addition to the normal solid blobs used in Melodyne to represent notes, you may see hollow blobs of which only the outlines or “silhouettes” are visible. These represent what we call “potential notes” and lie at pitches where Melodyne considered drawing a regular, solid blob, but decided instead to place this at a different pitch, leaving the silhouette as a hint that this might be a possible alternative for that particular note.

So you might consider turning this potential note into a regular note. This you can only do in Note Assignment Mode, so it is only in Note Assignment Mode that you will ever see a blob silhouette. Once you return to normal edit mode, only solid blobs (representing the active notes) appear in the display. It should be added that potential notes are only ever encountered when the Melodic or Polyphonic algorithms are employed.

If you **double-click on a silhouette**, it will be replaced by a solid blob, indicating that the note in question has been activated. As soon as you do this, the solid blob vertically aligned with it will be replaced by a silhouette, indicating that the corresponding note has been deactivated; this is inevitable, since there can never be two notes sounding simultaneously. There can, of course, with the larger editions, Melodyne editor and Melodyne studio, which offer algorithms that support polyphony, but with the Melodic algorithm, of which we are speaking here, no two notes can ever be active at the same time.

If you **double-click on a solid blob**, you will deactivate it. As no blob would then remain, a silent note will be created in its place, representing a rest or pause in the music. If you double-click on a silent note, the solid blob will reappear, indicating that the original note has been reactivated. Silent notes – what distinguishes them, how they arise in nature, and how they behave in normal edit mode – are described in greater detail [here](#).

Dragging blobs with the Activation Tool

A double-click is the gesture you will use most often when working with the Activation Tool. It is also possible, however, to drag blobs with it, as a means of persuading Melodyne to move the focus of its search to a different area. Particularly with material in which pitches are unclear, a new note can (in theory) be assigned to almost any pitch in this way, provided Melodyne finds something there. If Melodyne finds a plausible destination for the note in the area to which you have dragged it, the blob will snap to it; otherwise, it will return to its original position.

Melodyne only considers certain pitches to be plausible. This is one of the strengths of Melodyne: It brings to its analysis of the audio material real musical intelligence, and does not therefore automatically ascribe every cluster of spectral energy to the presence of a separate note. So, having eliminated all the pitches at which the note played could not possibly lie, Melodyne is left with a handful of candidates it considers “plausible” and invites you to choose between them.

Recalculation of the pitch center

When you move notes with the Activation Tool, a fresh search for the Pitch Curve within the blob is conducted automatically. While conducting the new search, Melodyne also recalculates the pitch center of the note. It does this even if you have only moved the blob a very short distance before returning it almost immediately to its original position. You can also trigger a recalculation of the pitch center by holding down the [Alt] key and double-clicking.


This is particularly useful when you are importing a file from an older version of Melodyne, as the technology Melodyne 5 uses to determine the pitch center of notes is greatly superior to that of earlier versions. After the recalculation (most swiftly triggered by holding down the [Alt] key and double-clicking), the blobs will be realigned slightly on the vertical axis – some higher, some lower than before – with the results representing the musical content better than those of earlier versions of the program. This provides for better results – especially when you are quantizing pitch by double-clicking or using the Correct Pitch macro in normal edit mode.

If, on the other hand, the original detection was performed by Melodyne 5 itself, recalculating the pitch centers will change nothing, as the results – already optimal – will be no different the second time.

Starting point lines and designated starting points

If, in Note Assignment Mode, you select one of the separation tools, vertical lines appear in the Note Editor. At the same time, a slider with two indicators appears next to the toolbox.


We call the vertical lines “starting point lines”. Rising in parallel from their respective blobs to the Time Ruler, they show the *musical starting points* that Melodyne has identified in the audio file. A “designated starting point” is indicated by a short vertical line (a “vertical”) topped by an inverted triangle and is invariably found near the start of a blob (though not necessarily at its leftmost extremity); when active, it indicates what, for the purposes of timing, Melodyne considers to be the effective musical starting point of the note. The musical starting point may, but does not necessarily have to, be aligned with the separator at the beginning of the note. Think of a brass instrument, for example, where each note is often heralded by a certain amount of wind noise. This noise also belongs to the note, so it falls to the right of the note separator. What is relevant from the standpoint of timing, however – as is the case also with quantization – is the moment when the sound really unfolds and the pitch first becomes discernible; *that* is the timing-critical moment, and it is that later instant that is designated the musical starting point. If Melodyne is unable to pinpoint the musical starting point of a note, no starting point line is displayed and the note has no designated starting point. For the purposes of quantization, the leftmost extremity of the note is then considered to be the starting point.



Each of the longer, starting point lines also culminates in an inverted triangular indicator, which you will see just below the Time Ruler. This indicator can be solid, in which case the corresponding starting point line is visible and active; or it can be hollow, in which case the line is invisible: we call it in this case a “potential” or “inactive” starting point line. An inactive starting point line invariably coincides with the beginning of a note. For the note in question, however, Melodyne has been unable to discern with sufficient confidence a musically relevant starting point; it is for this reason that the starting point line is only a potential one and that no vertical (no designated starting point indicator) is displayed at the blob.

The two slider indicators, the Parenthesis and the Ball, govern, respectively, how sensitive Melodyne is to the presence of potential starting points and how willing it is to activate them, the result being reflected in turn by the total number of triangles displayed and the percentage of these that are solid red. As you move the Parenthesis gradually to the right, more and more hollow triangles (indicating the presence of “potential” starting points) appear beneath the Time Ruler; this reflects Melodyne’s increasing sensitivity that is allowing it to divine more and more points in the material at which a starting point *might* reside – “might” because the lines that are added remain invisible and do not (yet) have any effect upon the blobs.

You can alter this, however, with the slider’s second indicator: the Ball. As you move the Ball to the right, more and more of the previously invisible, “potential” starting point lines will become active; and directly below them, at the level of the blobs, designated starting points will appear at the same time.




You can activate a potential starting point line by double-clicking on the hollow triangular indicator beneath the Time Ruler and, conversely, deactivate an active line by double-clicking on the corresponding solid triangle. Double-clicking in a free place in the ruler generates a new starting point line.

By dragging its indicator, it is possible to move a starting point line forwards or backwards in time; this, however, will seldom be necessary, as Melodyne almost invariably identifies the ideal position. You may still wish, though, to do some fine-tuning. If, for the purposes of experiment, you move a starting point line from left to right, you will notice that as soon as you pass over the start of a blob, a vertical appears complete with inverted triangle (indicating the presence of a designated starting point) that follows the line for a while before disappearing as soon as the note begins to decay, as, clearly, it would be futile to look any further for the musical starting point.

Starting point lines exhibit a kind of “magnetic” property seen not only when you move them but also when separating notes and designating starting points manually.


The Note Separation Tool and the Separation Type Tool

The Note Separation Tool and the Separation Type Tool (directly below it in the toolbar) are available with all algorithms and function in the same way as their counterparts in Edit Mode. You can set or remove note separations by double-clicking and also move them along the time axis. With the Separation Type Tool, you can toggle between hard and soft separations.



By contrast with normal editing mode: In Note Assignment Mode, the separation tools are not used to reshape the music but to edit the analysis or “detection”. The object is to ensure that the blobs represent as accurately as possible the actual music. Tip: To provide two or more notes of differing pitch with a soft separation, you can select “Convert Selection to Connected Sequence” from the context menu (see below).

Since the placing of note separations and the editing of starting points often go hand in hand, you can also edit starting points with the Note Separation Tool. Simply move the pointer into the vicinity of the triangular starting point markers near the Time Ruler and it changes appearance to resemble the Starting Point Tool.



It is possible at any time to deactivate a designated starting point (i.e. withdraw the designation). A new starting point can only be designated if an active starting point line is present in a plausible place i.e. the left-hand end of a blob. Look for a moment at the starting point indicators: In the relevant place, a hollow triangle (indicating the presence of a potential starting point) will probably already be displayed. Double-click on the triangle to activate the starting point line.

If no potential starting point line has been identified at the desired position, using the slider near the toolbox you can cause additional potential starting point lines to appear: to do this, simply move the right-hand control element (the Parenthesis) further to the right.

Alternatively, by double-clicking on an empty area of the ruler at the level of the starting point markers, you can create a new starting point line and drag it into position with the mouse. When, with the Melodic, Percussive or Universal algorithms selected, you activate a potential starting point line or create a new starting point line, a note separation is automatically inserted near a note at the position in question.

Tip: When editing starting point lines, if ever you have the feeling that somewhere a note starting point exists but that it is not indicated even by a potential starting point line, scrubbing in the relevant area often makes it easier to locate the exact position. At the position in question, a rather loud noise component will be audible. Where the noise is loudest, release the mouse button and double-click to place a starting point line.

The context menu: When you select one of the note separation tools, a context menu appears in the Note Editor in which you will find the following commands:


- **Convert Selection to Connected Sequence:** With this command, you can convert a selection comprising two or more adjacent notes between which there are hard separations into a connected sequence with soft separations. This is also possible with notes differing in pitch and allows you gather together melodic lines to make more coherent editing possible later.
- **Separate Note:** This command separates a note automatically at a point determined by Melodyne. It is useful when you need to make precise cuts in a vocal passage and isolate sibilants or breathing noise prior to editing using the tools.
- **Reseparate Notes at Starting Point Lines:** This command splits the selected notes at all active starting point lines passing through them. It offers you, therefore, a convenient way of inserting separations at the same point in multiple notes simultaneously, while removing any superfluous separations found elsewhere.
- **Separate Notes as Trill:** The effect of this command is to slice a selection of one or more notes into smaller segments determined by the instantaneous pitch of each note. This is done by inserting note separations into the slopes of the pitch curve as it rises and falls, thereby turning each 'hill' and each 'valley' of a vibrato into a separate note.

Please note that the fluctuations in the Pitch Curve must be fairly pronounced for the "Separate Notes as Trill" function to have any effect and that it is only available when the Melodic algorithm is active, being grayed out in every other case. If you wish to assign a shortcut to the command "Separate Notes as Trill", this can be done using the Preferences dialog.


- **Reset Separations Based on the Selected Grid:** This command separates the notes at obvious starting points as well as at suitable positions on the selected Time Grid. This command is available with the Melodic, Percussive and Universal algorithms.

The Starting Point Tool

The Starting Point Tool is the second sub-tool of the Note Separation Tool.



It is available with all algorithms and is used to designate or undesignate starting points manually by double-clicking. A designated starting point is indicated by a vertical (i.e. a short vertical line) with a red triangle on top located at or near the leftmost extremity of the blob.




By moving the Starting Point Tool in the region of the starting point markers beneath the Time Ruler, you can also edit these with the Starting Point Tool. As a rule, however, you will generally use the Note Separation Tool for this purpose, as described above.

The Time Grid

The Time Grid slices up the time axis at regular intervals to provide a clearer temporal overview. It can also have the function, however, of causing content as it is moved to snap to the nearest grid line, thereby making it easier to position notes exactly on the beat. For the spacing of the grid (i.e. the distance between adjacent grid lines), you can choose between Seconds and any of a variety of note values (half note, quarter note etc.).


Activating and setting the Time Grid




To adjust the Time Grid, either choose Options > Time Grid from the main menu or click the note icon (at the top right of the Note Editor) to open the pop-up menu shown here.

Clicking on the note icon activates or deactivates the grid; you can also define a keyboard shortcut for this command from the Shortcuts page of the Preferences dialog. If you click the note value or the arrow alongside it and hold down the mouse button, the grid menu pops up.

This allows you to set the interval between grid lines to any of a variety of regular or triplet note values or else to Seconds.




The time axis is then graduated at intervals equivalent to the note value selected. If you have chosen a small note value (such as 1/16) and then zoom the display outwards, at a certain point it will become impossible to display all the grid lines; the grid value selected, however, will remain active.



Moving notes when the grid is active

When the Time Grid is active and Seconds is not checked, notes moved from one beat to another will end up the same distance from the new beat as they were from the old one. In other words, whilst the grid does influence their position, they don't snap exactly to the nearest grid line unless they were on a grid line to begin with. The note depicted below, for example, sounds slightly after the first beat of the bar.



If, while the grid is active, this is moved to the second beat, there, too, it will sound slightly after the beat – the offset in the two cases being identical.

Even if the grid is active, you can still adjust the position of a note (or a selection of notes) independently of the grid by holding down the [Alt] key as you move it.

Chord recognition and the Chord Track

Melodyne is capable of recognizing the chords and detecting changes of key (or 'tonality') in your recordings. Here you will find all you need to know about Melodyne's Chord and Key tracks.

Limitations of the editions Melodyne essential and assistant

The chord recognition function is implemented in Melodyne assistant and essential but in those editions it is not possible to edit polyphonic material i.e. material in which two or more notes sound simultaneously. The procedure is as follows:

- Recordings of polyphonic instruments are opened by default in Melodyne assistant and essential with the Universal algorithm.
- To allow chord recognition, select "Polyphonic" from the Algorithm menu. The notes are now displayed polyphonically but in gray, and they cannot be edited using the tools.
- You can, however, following the procedure described in the next section, get Melodyne to identify the chords formed by these gray notes and display them in the Chord Track.
- Once the chords have been identified, you must switch back to the Universal algorithm before you can perform any musical editing e.g. transposition or timing quantization.

One Chord Track for all Melodyne instances


The Chord Track is displayed in all instances of Melodyne that are open – i.e. on each track. You therefore see the same chords for all instruments, although the melodic line, or chords, played by each instrument may be different.

So what the Chord Track is displaying is the combined effect of all the instruments: the harmonic structure of the song or composition *as a whole*. Armed with this information, you can examine the notes played by any instrument at any moment and see how well they accord with the overall harmony.


Triggering the harmonic analysis

To get Melodyne to identify the chords, proceed as follows:

- Open the recording of a polyphonic instrument (e.g. piano or guitar). In Melodyne studio, you can open multiple tracks simultaneously in the Note Editor (e.g. guitar and bass) so the harmonic analysis can take all of them into account.
- Display the Chord Track (and the Key Track too, if you wish) by checking the relevant entries in the Options menu. Alternatively, you can click on the icons beneath the Time Grid Settings menu in the top right-hand corner of the Note Editor.



- Right-click in the Chord Track and select “Analyze Chords” from the context menu. You will then see a ‘lead sheet’ of your recording.



You can repeat the “Analyze Chords” command at any time to update the analysis.

You might do this, for example, after recording a new guitar part containing different chords.


- If it's only certain chords that need to be reexamined, select the chords in question in the Chord Track and choose “Analyze Chords”.
- To select two or more chords, use the Shift and Cmd keys.
- If you click on one chord and then press Cmd+A, all the chords will be selected.

Note: The chord analysis is invariably based on all the notes in selected areas of the Chord Track. It is not possible to influence the analysis by selecting or deselecting individual blobs. That would in any case make no sense from a musical point of view, as the less information taken into account, the less accurately the chords displayed would reflect the overall musical content of the recording.

There could, however, be cases – if you were analyzing the chords of a complete mix, for example – when certain blobs (attributable to the kick drum, say, or the cymbals) might lead to confusion. The solution in such cases is to copy the audio file to a new track, delete the offending blobs, and trigger a fresh chord analysis based on that track only.

Selecting between alternative designations

The context (right-click) menu of the Chord Track suggests alternatives for the chords detected:



These, we must stress, are *not* compositional suggestions, as in “here you could also play this chord”. The alternatives suggested are simply alternative interpretations of the audio material.


A chord made up of the notes C, E, G and A, for example, could be interpreted as either C6 or Am7. Both interpretations are legitimate, but which is the more apt might depend on the degree to which the various notes are emphasized; Does the highest note sound loudly and clearly, for instance, or is it barely perceptible? The most appropriate interpretation might depend also on the surrounding chords or the prevailing key (or ‘tonality’) of the passage in question. These are questions of content but also of taste that are best left for you, the user, to answer. For this reason, Melodyne offers you all plausible interpretations and lets you choose between them.

Of course, in the case of very basic chords, there will be fewer alternatives and in some cases only one. If the chord, for example, consists of three notes: C, E and G, this can only sensibly be interpreted as “C Major”.

Entering chords manually

Independently of the results of the chord detection, you can also fill in the Chord Track manually, by typing in the names of the chords or standard chord symbols.

To do this, select an existing chord (a frame will appear, highlighting the chord selected) and type in text in the normal way:




In areas of the Chord Track where no chord symbols are displayed, you can enter them simply by double-clicking in the appropriate places and typing them in.

Melodyne accepts all the standard conventions for denoting chords.


For “F minor”, for example, you can spell the chord in any of the following ways: “Fminor”, “Fmin”, “Fm” or “F-” (with the “F” in upper or lower case). By default, Melodyne prefers the set language.

You can eliminate specific chord changes by moving the cursor over the borders between chords (the cursor then changes its shape) and then double-clicking.



Conversely, you can insert additional chord changes by double-clicking on an existing chord. By default when you are inserting or moving chords, they snap to the nearest quarter note (crotchet) on the grid. By holding down the Alt key, however, you can temporarily increase the resolution of the grid and in this way reach intermediate destinations, an eighth or a sixteenth note to either side.

In the context (right-click) menu of the Chord Track, you can decide whether when you introduce a new chord change, a fresh analysis of the newly created chord halves should take place:



Keyboard shortcuts for editing the chords


The following shortcuts, which are the same as those used for the selection and editing of blobs in the Note Editor, allow you more swiftly to enter and edit the chords to be displayed. If you wish, you can change the shortcut assignments in the Preferences dialog.

- Shift-click and Cmd-click: Extend the chord selection
- [Left/Right Arrow]: Select previous/next chord
- Shift+[Left/Right Arrow]: Extend selection to include previous/next chord
- [Up/Down Arrow]: Switch between alternate chord designations (as described above)
- Cmd+[Up/Down Arrow]: Shift the chord up or down diatonically i.e. using only the notes of the current scale, so major intervals are replaced where necessary with minor ones and vice versa to suit the key. For example, if the key is A minor and the chord selected is C major. After pressing Cmd+[Up Arrow], this will become D minor (not D major, which is not found in the key of A minor). If, on the other hand, the key were E minor, selecting a C major followed by Cmd+[Up Arrow] would produce D major. In this case, the quality of the chord (e.g. the type of triad) would not change.
- Shift Cmd[Up/Down Arrow]: Transpose the chord chromatically upwards without regard to the key. So C major becomes C# major, followed by D major, then D# major etc. So the quality of the chord does not change: major chords remain major, minor chords remain minor.

By editing the Chord Track in this way, you are not (initially) changing the recorded music. However, such changes to the Chord Track will make a difference when you come to edit the notes, if you select “Chord” or “Chord Scale” as the Pitch Grid.

Auditioning chords

In the Context (right-click) menu of the Chord Track, you will find an option to audition the chords:



If this option is activated, as you step through the chords with the arrow keys or alter them through text input or using the keyboard shortcuts, you will hear the chords in question played with a guitar sample.


Chord symbol conventions

Melodyne's Preferences dialog allows you to choose the chord symbol conventions used in the Chord Track. There are various conventions in common use and Melodyne is familiar with all of them. Some musicians, for example, write "Cm" to indicate a chord of C minor, whilst others prefer "C-" or "c-".



Even though you may have chosen a particular format (e.g. "c-") for the display, you can still use a different convention (e.g. "Cm") to input the data; Melodyne will simply translate "Cm" into "c-" for you. This is particularly useful if you have opted for a convention that involves special characters that are awkward to type in. In the Preferences dialog, you could specify, for example, that a chord of F major with a major seventh should be displayed as "F#7", but use a format that is easier to type (such as "F maj 7") when entering chords in the Chord Track.

As well as choosing a naming convention for the display, you can also influence the complexity of the chords. For certain musical genres, you may prefer to make the lead sheet easier to read. The context (right-click) menu of the Chord Track offers the following options:



Slash Chords

If the guitarist is playing a chord of C major, for example, but the note sounding in the bass is not C but G, then – even though this does not change the chord (since the note G does appear in the chord of C major) – you may still feel it is important for the notation to take account of this fact using the familiar "slash chord" notation: C/G (i.e. C major with a G in the bass).

If you check this option, this convention will be used throughout the track.

Expanded chords

If you check this option, Melodyne finds expanded chords (such as those common in jazz). If the option is cleared, a simpler description will be preferred. For example, if the chord in question is C Major but a D is sounding at the same time. D is the ninth of a C major chord, so an exact description of the chord would be “Cadd9”. In this case, though, it would be a perfectly legitimate simplification to just write “C major” in the lead sheet. This would in any case have no effect (initially) upon the music itself. Whether or not this option is checked could have implications, but only on the manner in which you edit notes later on. (The editing of the notes in the chord context is dealt with in the next tour).


Less Thirds

Melodyne adds thirds in the course of the chord detection even when none were played, which is usually very helpful. But in the blues genre, for example, the musicians often omit thirds on purpose and in such cases the addition of thirds is undesirable. If you check this option, the added thirds are hidden. Thirds that were actually played, however, remain unaffected and are always shown. If no added thirds are present, this option is grayed out.

The Key Track and key changes

The methodology for editing the Key Track is basically the same as that just described for the Chord Track.



The only real difference is that the context (right-click) menu has fewer entries:



- The upper area offers you alternatives to the detected key.
- Analyze Key: This triggers a new detection of the key.
- Church Modes: Uses the church modes (Dorian, Phrygian etc.)
- Open Scale: Opens a separate window to let you select a key.
- Conduct New Analysis after Slicing Modes: By double-clicking in the Key Track, you can slice an existing segment in two, or merge two segments. This option determines whether or not a fresh analysis of the key of the segment or segments involved should be carried out automatically whenever you slice or merge segments in this way.

The Key Track and the Scale Ruler

The Scale Ruler (the left-hand margin of the Note Editor) invariably displays a key, for which numerous variations are possible. If your song contains key changes, which scale is displayed will depend upon the playback position:




Interaction with the chord track of the DAW

On the technical level, Melodyne's Chord Track operates independently of the chord symbols in Pro Tools. There is, admittedly, the option "Use DAW Chords", which you may have noticed in Melodyne's Edit menu under "Chords and Scales" or in the context menu that opens if you right click on the Chord Track in Melodyne; this option, however, is not supported by Pro Tools' current ARA implementation, so for the time being it has no effect.

Chords and keys in Note Assignment Mode

In Note Assignment Mode, you do not see a shared Chord Track for the entire song, as is the case in normal Edit Mode, but only the chords played by the instrument you are examining. Note: Even if you have activated the option "Edit" > "Chords and Scales" > "Use DAW Keys", you can still use all the functions of the Chord Track in Note Assignment Mode, because remote control of the Chord Track from the ARA DAW is only effective in Track Edit and Clip Edit modes – not in Note Assignment Mode.

For this reason, we speak in the one case of "project chords" that relate to the entire song and in the other of "file chords", which are only visible in Note Assignment Mode and relate only to the instrument in question. In the Edit menu, you will find commands that allow you to replace file chords with project chords, and vice versa.



It is the same with the keys: The song has a common Key Track ("Project Scale"), whereas what you see in Note Assignment Mode in each case is the current "File Scale".

The Pitch Grid


You can shift the pitch of notes in Melodyne either continuously or in discrete steps using the grid. When the grid is active, notes can only be moved to such pitches as the snap mode selected at the time will allow.

The functions of the Pitch Ruler and access to the Pitch Grid

You can change the options relating to the Pitch Grid either from the sub-menu of the same name under Options in the main menu or by clicking the clef icon directly above the Pitch Ruler.

Clicking on the Clef icon toggles the grid on and off. When the grid is deactivated, you can slide notes continuously upwards or downwards in pitch. Only faint lines in this case separate the notes in the Pitch Ruler.

If you click on the Clef icon (or the little arrow next to it) while holding down the mouse key, the menu containing the grid options drops down.



The Pitch Grid and the background in the Note Editor

The Pitch Grid, when activated, causes notes to snap to particular pitches as you drag and release them. The white horizontal beams beneath the blobs in the Note Editor represent the pitches allowed by the currently selected grid. The gray beams represent pitches that are not included in the current grid and that the blobs therefore spring over as they are moved.

When you double-click on a blob with the Main Tool or the Pitch Tool, it will snap to the center of the nearest white lane – so whether it was perfectly in tune or slightly offset from its previous pitch, its offset from its new pitch will be zero. Thus, as well as moving notes to more suitable pitches, a simple double-click perfects their intonation at the same time.

If, on the other hand, you hold down the [Alt] key as you double-click, if a blob was offset 10 cents (say) from its previous pitch, it will be offset from its new pitch by the same amount. In other words, even though the blob may move to a different pitch, its “degree of imperfection” (in terms of intonation) will be preserved – such deviations are, after all, often musically desirable and used intentionally in order, for instance, to obtain a warmer, richer tone.

For the Pitch Grid and the background to the blobs in the Note Editor, the following options are available:

Pitch Grid

- No Snap: The Grid is deactivated and notes can be shifted continuously up or down in pitch.
- Chromatic Snap: Notes snap to the nearest note of the chromatic scale.
- Key Snap or Chord Snap: Notes snap to the grid currently selected as the display background in the Note Editor.

Pitch Background

- Keyboard: The background in the Note Editor mimics the pattern of black and white keys on the piano keyboard – only in this case, the pitches produced by the black keys are shown in gray. When the grid is active, these pitches are inaccessible, so you are effectively locked into C Major – which is fine if the song happens to be in that key but not much use otherwise.
- Key: Now the notes of the current key or tonality are displayed in white and notes foreign to the key in grey. Again, when the grid is active, only the white beams are accessible. If there is a change of key in the course of the song, the pattern of white and gray beams will change accordingly.

- **Chord:** Now the background pattern changes from chord to chord, with white beams representing chord members and notes foreign to the current chord shown in gray. So in the case of chords based on simple triads (C Major, F minor etc.), only three notes per octave will be available. In the case of more complex chords, more pitches will be available – four per octave in the case of a major seventh chord, for example.
- **Chord Scale:** With this option, once again seven white beams per octave are displayed. Unlike the case, however, when “Key” was selected, these are not the notes of the current key, but instead form a scale that reflects the current chord.

A brief explanation: It is perfectly possible, in jazz for example, for chords to be used that do not fit the key, without the listener immediately interpreting this as a key change. For example: You are in C major, and the chord played is D major, which does not actually fit the key. If the option “Chord Scale” is selected, for this one chord a black-and-white pattern will be displayed corresponding to the notes that fit the chord played within the key. So, in our example, F# would be a legitimate tone and would be shown in place of F.

- **Pitch lines:** When this option is selected, a ruled line appears in what was previously the center of each beam, and the beams are no longer displayed. The pitch lines invariably reflect the key – including any key changes – but not the chords; bold lines indicate the pitch of notes belonging to the key; that of notes foreign to it are denoted by thin lines. This display mode is useful when you are correcting intonation errors, as the lines show the exact pitches to aim for.

Pitch Labels

Here you can choose whether the names of the notes (C, D, E etc.) or degrees of the scale (I, II, III etc.) are shown on the Pitch Ruler.

A practical example

You are perhaps wondering what earthly purpose is served by all these options. An example may make things clearer. Let’s suppose you want to import a guitar part from your loop library and adapt it to the current song. Here’s how it’s done:

- First create a chord track (either by applying the chord recognition function to the instruments you already have or by typing in the chords).
- Now activate Scale Snap
- As the Pitch Background, choose “Chord”
- Insert the guitar part from your library and select all its notes (shortcut: [Cmd]+A)
- Then double-click any of the selected notes

Now the imported guitar part will follow the chords of the song. You may perhaps want to shift one or two of the chords upwards or downwards along the Chord Grid to obtain inversions.

With this procedure, of course, you may find occasionally that two notes that were different in the original guitar part end up on the same pitch. This is bound to happen where, for example, in the original recording, there's a major seventh chord (which is made out of 4 notes) but a simple major or minor chord (consisting of 3 notes) in the current song. Such problems, however, are easily solved: just select one of the two notes and drag it by hand to a "free" white note. Or you could switch the display background from "Scale Notes" to "Chord Scale" to obtain a wider choice of suitable notes.

When you are dealing with vocal parts, on the other hand, you will hardly ever find the "Chord" setting useful – it would limit the voice to too few notes (often only 3 or perhaps 4 per chord). Choose instead "Chord Scale", which will allow you greater flexibility when working with melodies. Where, on the other hand, you have multiple vocal tracks comprised of little more than "Ooh" or "Aah" sounds that you are using to provide layers of harmony, then "Chord" might be the most useful setting.

Once you have finished composing the melodic line and begin to address the finer points of intonation, switch the display background to Pitch Lines. This is because the lines – which represent perfect intonation – provide a clearer indication of which notes are out tune (and by how much) than that provided by the (far broader) beams.


The Scale Ruler and the Reference Pitch Ruler

To select a scale for the Pitch Grid yourself or change other settings, click the rightmost icon (the two sharp signs) beneath the Pitch Ruler. Two new columns will appear to the left of it.




Adjusting the master tuning

The narrow column on the very left is the Reference Pitch Ruler. Drag in either direction the mark alongside any note – A4, for example – and the Frequency Ruler appears, which you can consult as you fine-tune the note in question and, with it, of course, all the other notes of the scale. What you are doing here is adjusting the master tuning for the entire Pitch Grid. A tip: increase the vertical zoom factor, as this will make it easier for you to locate the value you want.




By right-clicking any of the marks on the ruler, you can open a small context menu. This offers a number of pointers to help you bring the Pitch Grid swiftly into line with a particular tuning:




- At the top, you will see the current frequency of the note selected.
- Concert: bases the tuning on modern standard concert pitch (where A4 = 440 Hz).
- Default: bases the tuning on the frequency currently assigned to A4 in the Preferences dialog.
- Detected: bases the tuning on Melodyne's analysis of the music being edited – the original tuning.
- Set as Default: tells Melodyne to use the current value as the default tuning for new documents and adjusts the value in the Preferences dialog accordingly.

The various settings for A4, incidentally, can be found quickly by clicking the tuning fork icon at the top of the Reference Pitch Ruler. By typing into the box immediately below this icon, you can assign to A4 any frequency you like.



Selecting the tonic and scale variety

The wider ruler next to the Reference Pitch Ruler is the Scale Ruler. Here you can select the 'tonic' (i.e. the first degree or keynote) of the scale as well as its mode or type. First click on the note you wish to use as the tonic. The following menu opens:



Related scales: in the top part of the menu, you will find a varying number of scales preceded by a “=” sign. These are scales that correspond to the current scale but are differently named. If your DAW offers a chord track and you have checked the option “Edit” > “Chords and Scales” > “Use DAW Keys”, certain options – such as the ability to select a related scale or switch between major and minor keys – are no longer available within Melodyne, as in that case you perform the settings in the key display of your DAW. Please note that when you select a related scale from this menu, only the main structure of the mode in question is adopted: the scale is simply given a new name and, if applicable, a new tonic. It can be, however, that the exact definition of the related scale in question contains additional secondary degrees or fine-tuning. If you wish to use these, please choose Open Scale... from the scale drop-down menu.


- **The current note:** in the middle of the submenu, grayed out, you will see the name of the note you have clicked on and which you can now make the tonic.
- **Major / Minor:** Allows you to select a major or minor scale with the note selected as tonic. To select C Major, for example, click C in the ruler, followed by C Major from the submenu.
- **Open Scale...** : opens Melodyne's Scale Window, which offers access to a wide variety of additional scales. This window will be described in the next section.
- **Analyzed:** this offers you rapid access to two options derived from Melodyne's analysis of the material: the closest major or minor scales and an exact microtonal scale.
- **Notes Reflect Scale Changes:** normally when you change the scale, Melodyne adjusts the Pitch Grid but does not change the notes themselves unless you double-click on them first, in which case they will snap to the grid. If, however, you wish the notes to adjust automatically to any change of scale, select either Tuning or Tuning and Mode. Then any changes will take effect immediately and you will hear them at once during playback.
- **Play Scale:** plays the current scale. When this function is active, the loudspeaker icon appears above the Scale Ruler. By clicking on this icon, you can deactivate the function without needing to access a menu.

Tip: Initialize the key prior to the transfer/load: In the case of monophonic or polyphonic audio material, Melodyne also recognizes the key of the music. With short melodic phrases, however, the key chosen is often not the one intended, simply because too few notes are available for a correct appraisal. To prevent this happening, you can set the key using the Scale Ruler of an empty instance of the plug-in or an empty document (if using the stand-alone implementation of the program) *before* the transfer or loading of an audio file. To do this, simply click on the desired keynote in the Scale Ruler and select the desired scale from the context menu. Melodyne will then retain this initialized value, regardless of its own subsequent analysis.

The Scale Window

Melodyne's Scale Window offers a multitude of scales you can select, listen to, and make use of. To access this window, choose "Open Scale" from the context menu of the Scale Ruler.

The selected scale applies to all instances of the Melodyne plug-in.



To open the Scale Window, select Open Scale from the context menu of the Scale Ruler.

Now choose a category from the left-hand pane followed by the desired scale from the pane on the right. Click the loudspeaker icon to the right of each entry to hear the scale selected.

If you have activated the option Notes Follow Scale Changes, during playback you will hear immediately the effect of applying the scale selected to your audio material. The window allows you to try out (or 'audition') different scales quickly and easily. If you wish to adopt the changes, exit the window with OK; otherwise click Cancel.

From the lower pane of the window, you can select between the parameters of your existing scale and those of the scale selected in the Scale Window.

- Mode and Tuning: you can adopt either the parameters of your existing scale (on the left) or of the scale currently selected in the Scale Window (on the right).
- Tonic: you can choose between the selected tonic or the tonic from the preset.
- Pitch: here you can choose between current tuning, the pitch from the preset or various standard tunings.
- Stretching: here you can select whether or not stretched tuning should be applied to the scale.
- External Scales Folder...: this button allows you to open a folder containing scale definitions in Scala format (filename extension “.scl”) which will then appear as an additional category in the Scale Window.

On the Internet, you will find at <http://www.huygens-fokker.org/microtonality/scales.html> a collection of over 4,000 Scala files that you can copy to any part of your hard disk and audition and try out in this way using Melodyne.

You can also load scale definitions created in Melodyne studio (filename extension ‘.mts’) with this button.

Tracks and clips

Thanks to ARA, Pro Tools and Melodyne work hand in hand when you're arranging your song. The following tour will familiarize you with all the requisite functions as well as offer some helpful tips.

Changes to clips that Melodyne follows automatically

When you change the arrangement of clips in Pro Tools, Melodyne, when integrated with ARA, follows automatically. Without ARA, every change made to the DAW track has to be reproduced manually in Melodyne. Changes to clips that Melodyne with ARA follows automatically include the following:

- muting
- shortening
- moving
- copying
- duplicating, repeating and looping
- creating and adjusting fades
- stretching clips with the CE tool
- adjusting to tempo changes set in Pro Tools (for which purpose, the timing of the Pro Tools track must be set to "tick-based")

Special flexibility in the copying of clips

The audio notes of a clip that you have copied can be edited independently – i.e. without altering the equivalent notes in the original clip.

A typical application might be to introduce small musical variations to a repeating motif (such as a bass riff) that you have created by making multiple copies.

The behavior is the same whether the copy was created using the standard Copy-and-Paste procedure or by holding down the Alt key and dragging. Clips created in Pro Tools using Edit > Duplicate [Cmd+D] or Edit > Repeat [Option+R] behave in the same way, as independent copies.


If you duplicate [Shift+Option+D] in its entirety a track containing clips that have previously been edited using Melodyne, all the Melodyne edits will be preserved on the new track. Once again, though, it will be possible to edit the notes of the new track without this in any way affecting their equivalents on the original. This allows you, for example, to create backing vocals very quickly using as your starting point each time a vocal track that you have already perfected.

Whenever, on the other hand, you create *loops* in Pro Tools – whether using the Clip > Loop [Option+Cmd+L] command or the Loop tool – the successive iterations of the loop (the copies, in other words) will *not* be independent, so any changes made to the original clip will be mirrored by all the copies.

Musically, the audio notes then behave the way MIDI notes do when Pro Tools is in Mirrored MIDI Editing mode. A typical application in this case might be another bass riff – this time, though, one that is initially in the wrong key. Here, thanks to the mirroring, when you transpose into the correct key the first appearance of the pattern (something easily done with Melodyne), the others are corrected automatically.


The Track and Clip editing modes

With ARA integration, after inserting the Melodyne plug-in and opening a DAW track, two alternative modes are available for editing the notes: Track Mode and Clip Mode. You can switch between them using the buttons above the Note Editor. The left-hand button activates Track Mode; the button to the right of it, Clip Mode.



Track Mode

Track Mode lets you see the entire contents of the track opened in Melodyne, however many clips it is composed of in the DAW.




The clip borders are indicated in Melodyne by vertical gray lines. The moving of borders is performed in the DAW, not in Melodyne, but the lines in the Melodyne user interface move accordingly. This allows you to see at once whether a clip change occurs at an unfortunate moment, such as in the middle of a note.

Clip Mode

The alternative to Track Mode is called Clip Mode. You select this by clicking the right-hand mode button (the one with a single blob) above the Note Editor.

In Clip Mode, you see only a single clip from the DAW track at a time. The track list remains in view, but in Clip Mode the Edit and Reference buttons are grayed out. Track Mode and Clip Mode differ in the way notes are displayed at clip borders: whilst in Track Mode, only notes lying within the clip borders determined by the DAW can be seen, in Clip Mode notes on either side of the borders remain visible; you therefore see in Melodyne – in the area with a gray background – what you might hear if you were to resize the clip in the DAW.



The ability to reach beyond the borders of the clip has advantages when performing tasks such as comping. (Comping is the technique of selecting from multiple takes the best rendering of each passage and concatenating the chosen clips to obtain what, given the available material, you consider the optimal performance). Notes overlapping the borders of the clips in question pose particular problems when comping. In Clip Mode, such problems can be resolved on the note level simply by moving or shortening the offending notes until they fit neatly within the clip. In Clip Mode, it is also possible to copy notes lying outside the clip borders and paste them into the clip, which can also be very useful when comping.

Switching from Track Mode to Clip Mode and from clip to clip

Whereas in Track Mode it is always obvious what you are looking at – the contents of the entire DAW track currently selected – Clip Mode displays only one of a track's clips, so before you can switch to Clip Mode, you must indicate clearly which clip you wish to edit. If in the Options menu the entry "Follow the Selection in the DAW" is checked, Melodyne's display follows the clip selection in the DAW. If, however, it is unclear which clip you mean to edit, the Clip Mode button will be grayed out. In this case, while still in Track Mode, you must indicate which clip you wish to examine. You can do this in either of two ways:


- By selecting a note, in which case it is obvious which clip interests you: the one containing the note selected
- By making a selection, which, provided all the notes selected belong to the same clip, is equally unambiguous; if they do not, you must narrow your selection – if need be, to a single note.

If no note is selected, Melodyne looks to see which clip or clips are selected in the DAW. If only one clip is currently selected in the DAW, Melodyne opens its contents in Clip Mode. If several clips are selected, you can resolve the ambiguity by simply selecting a note belonging to the track you wish to examine.

Tip: If you are already in Clip Mode and wish to change clips, it is not necessary to switch back to Track Mode in order to do so. Simply click on the desired clip in the DAW, and Melodyne will display its contents immediately. For this to happen, however, the function "Follow the Selection in the DAW" must be activated in the Options menu and Melodyne must be present on the track containing the newly selected clip.

Entering Note Assignment Mode

You can only enter Note Assignment Mode from Track Mode if it is clear from the current note selection which clip you wish to examine. If necessary, therefore, click on one of the notes of the clip you wish to examine in Note Assignment Mode. You can enter Note Assignment Mode from Clip Mode directly, as only one clip can be selected in Clip Mode at a time and it is therefore obvious which clip you intend to examine.




Special aspects of track compositing (“comping”) in Pro Tools

Whilst the comping tools and workflows of most DAWs are similar, there are certain differences in the way things are done and in the names of the various tools, and it is these we have set out to describe here – with particular emphasis, naturally, on how they affect the use of Melodyne.

Making layers visible

To display the individual takes, set the Track View in Pro Tools to “Playlists”.



Applying Melodyne to the individual takes

For the fastest and, at the same time, the most flexible comping workflow, it is advisable to apply Melodyne to the individual playlists directly (not just to the target playlist).

To do this, solo the first playlist lane, right-click on the track name, and choose Melodyne > Edit. Now repeat exactly the same procedure (solo the playlist lane, right-click on the track name, and choose Melodyne > Edit) for all the other takes.

You can then begin comping in Pro Tools in the usual way. Unless you've soloed one of the other playlists, the notes you see in Melodyne will always be those of the current target playlist. As soon as you click the Solo button for an alternate playlist lane, its contents in their entirety will be displayed by Melodyne instead. This ensures that, whatever the status of the playlist Solo buttons, the notes you see in Melodyne are always the ones you are listening to. And if you aren't satisfied with any given note, you can fix it at once in Melodyne. Bear in mind, however, that the changes you have made are not necessarily set in stone. This is generally a good thing, as long it doesn't result in your losing them inadvertently. How this might happen, and how to prevent it happening, are illustrated by the following example.

Suppose you're assembling the lead vocal track from two playlists and the current running order is as follows: two bars from Take One, followed by two bars from Take Two, then back to Take One for the rest of the track. You decide you aren't satisfied with the intonation or phrasing in the third bar (i.e. Bar One of Take Two) so you work on improving it in Melodyne, by modifying the blobs in the normal way. What you need to bear in mind is that although you're working on *content* derived from Take Two, it is in fact the *target* playlist that you're modifying, not the alternate playlist corresponding to Take Two.

You now want to compare the results of your editing with Take One again, so you select the third bar of the Take One playlist and click the Copy Selection To Target Playlist button in the playlist lane controls (i.e. the Up arrow). Perhaps what you then hear and (naturally) also see in Melodyne is not one hundred percent to your liking either, so you make improvements to the blobs there too.


Now you must be careful: If you copy Take Two to the target playlist again (for the purpose of comparison), you will not hear the changes you recently made. And if you switch back to Take One, the changes you recently made to that, too, will have vanished. This problem is due to the fact that in Pro Tools, when you're comping, you're always copying material from one of the alternate playlists – from the “bottom”, so to speak – to the target playlist at the top. Unfortunately, any changes you make in Melodyne are made the target playlist at the top, which is why they are overwritten whenever you copy upwards from one of the playlists below.

There are two ways of getting round this problem:


- 1) Either you get into the habit of clicking on the Solo button for the playlist lane of the take you wish to edit *before* beginning work on it (in which case your changes will be made to the take itself, at the bottom, where they are safe from being overwritten inadvertently) and only copy them up later.
- 2) Or you make it your habit to copy the segment of the target playlist you have just optimized in Melodyne back to the original playlist *before* listening to an alternate take. To do this, select the segment in question, then drag or copy it from the top to the alternate playlist below from which it originated. There is no down arrow in Pro Tools to automate the task, so you have to do it by hand. This method, too, ensures that the changes you have made most recently to the blobs are kept “downstairs”, so to speak, where they are safe from being overwritten accidentally. You can always copy them back later to the target playlist at the top.

Melodyne modes: Track Edit vs Clip Edit

Most of the time when you are comping in Melodyne, you will have Track Edit Mode selected. There you will see a representation of your target playlist – i.e. the exact succession of notes that you also hear – with vertical lines at the comping boundaries set in Pro Tools:




Alternatively, you can switch to Clip Edit Mode:



There you can look, so to speak, “under the bonnet” and examine *a single take* in its entire length. The highlighted area corresponds to the passage (defined in Pro Tools) during which this take is included in the playback; the areas with a gray background show you what else is included in the take and what you would hear if you were to move the comping boundaries in Pro Tools.

Clip Edit Mode allows you, among other things, to take hold of the end of a note currently truncated by the comping:



Now you can shorten the note until it is confined entirely to the highlighted area – which means it fits exactly within the comping segment defined in the DAW.


To learn more about the respective advantages of Track- and Clip-Edit Mode, [click here](#).

Selecting notes

In this tour, you will learn which techniques you can use to select notes in Melodyne prior to editing them.

Standard selection techniques


Click a note in the Note Editor to select it. Selected notes are more boldly colored.



[Command]-click additional notes to add them to the selection.

[Command]-clicking a selected note removes it from the selection.


Another way of selecting multiple blobs is to lasso them by clicking the background in one corner of the desired selection and then dragging the pointer to the corner diagonally opposite. This is sometimes called rubber-banding. If you hold down the [Command] key, you can add a further rubber-band selection to the existing one. You can also add individual notes to the selection (or remove them from it) by [Command]-clicking.




To select a passage (i.e. a series of notes), click the first note of the series and then [Shift]-click the last (or vice versa).

Snake selection

If you press the [Shift] key, click a note and then move the mouse pointer away, Melodyne's snake selection mode is activated. You can now add notes to the selection by painting over them with the snake.




If you move the mouse (and thereby the snake) backwards again, you can remove notes previously painted over from the selection.



Selection using the Pitch Ruler

Click a note in the Pitch Ruler to select notes of the corresponding pitch.




If cycle mode is active, the selection only affects such notes if they lie within the cycle range.

By [Command]-clicking other notes in the Pitch Ruler, you can add them to the selection and later remove them by the same means.

If you double-click, as opposed to single-clicking, a note in the Pitch Ruler, you will select the same note in all octaves rather than simply that single instance of the note.

Click and drag in the Pitch Ruler to select a range of notes.



By using the [Command] key in the Pitch Ruler, you can remove from the selection a range of notes or individual notes. Here too, if a cycle is active, only notes within the cycle range will be selected.


Correct Pitch Macro

The Correct Pitch Macro is used to rectify poor intonation quickly and intelligently and rein in any undue wavering in pitch.

Opening and using the macro

Select the notes you wish to edit. If no notes are selected, macro editing will by default affect all notes.

To open the macro, choose Edit > Quantization Macros > Correct Pitch or click on this button at the top of the Note Editor.




Here, with the upper slider, you can apply a degree of correction ranging in intensity from 0% (no influence) to 100% (full power) to the pitch center of the notes selected. By default, such notes are moved towards, or to, the nearest semitone:

If you prefer, however, you can have the notes snap to the nearest degree of the current scale or (if chords have already been defined) to the nearest member of the current chord; in either of these cases, check the option “Snap to Chord Scale”.

Depending upon the position of the intensity slider, the notes will then snap all, or part of, the way to the corresponding pitches.

The macro works in a musically intelligent manner: At lower settings it affects only those notes that are wildly out of tune, leaving untouched those that are already quite close to the intended pitch. As the slider is moved further towards the right, however, even those notes are influenced, and to an increasing degree, until at 100% all the selected notes are exactly in tune.

The pitch center, which the macro adjusts automatically, is the same parameter that is modified when pitch correction is performed manually using the Pitch Tool.



With the lower slider, you can progressively reduce the amount of pitch drift exhibited by the notes in question. By “pitch drift”, we mean the kind of slow wavering in pitch that is symptomatic of poor technique. More rapid fluctuations in pitch, such as pitch modulation or vibrato, remain unaffected.

You can modify both correction parameters in real time as the audio plays back; and hear, but also see (by the movement of the blobs in the Note Editor, the effect of different settings.

If you have already fine-tuned some notes using the Pitch Tool, Melodyne will assume you are satisfied with the results; this means that, by default, if you now open the Correct Pitch Macro with no notes selected and begin making changes, only the other notes will be affected. By default, in other words, notes that have been tuned manually are not affected by the macro. If you wish the pitch of these too to be affected by the macro, check ‘Include notes fine-tuned manually’. The option is grayed out, of course, as being of no relevance, if no manual editing of intonation has been performed.

Closing the macro and correction values when it is reopened

Exit with OK to keep your changes or Cancel to discard them. Naturally the fact that you have used the Correct Pitch Macro in no way precludes your fine-tuning notes at any time subsequently by hand.

If you select a note that has already been edited using the macro and then open the macro again, the settings previously applied to it will be displayed; the macro remembers, in other words, the parameters previously applied to each note. If the current selection includes notes to which different settings have been applied, when it is opened the minimum and maximum values for each parameter will be displayed.

Even after exiting with OK, you can still reverse the effects of the macro editing by using the undo function.

The Correct Pitch macro and sibilants

When the algorithm Melodic (the usual choice for vocals) is selected, Melodyne detects and marks what it defines broadly as “sibilants”. In the case of vocals, these include not only fricative consonants and digraphs such as “s”, “z”, “ch” and “zh”, but also word fragments like “k” and “t”, as well as the sound of the vocalist inhaling or exhaling between words. Whilst such sibilants do move upwards or downwards in the display under the effects of the macro, acoustically they remain unaltered.

By transposing only the pitched components of the sound in this way, the macro is able to maintain optimum sound quality throughout; to alter the frequency of sibilants would sound unnatural. But if, as a special effect, you ever do wish to apply pitch shifting to sibilants, this can be done manually using the Pitch Tool, as is described in detail [here](#).

Quantize Time Macro


In this tour, you will learn how to work with the Quantize Time Macro, which makes it possible to correct the timing of notes swiftly and effortlessly.

Quantizing timing: What is moved and where to?

Before examining the operation of the Quantize Time Macro, we should clarify a few basic concepts and relationships.

Now check Show Intended Notes in the Options > Note Editor sub-menu, which can also be accessed via the cog icon in the top right-hand corner of the Note Editor.

Gray boxes now enclose each blob.



When it first analyzes the material, Melodyne calculates for each note two parameters of relevance to the process of time correction.

The first is the intended musical beat of the note; this is indicated by the start of the gray frame enclosing the blob. As you can see, the start of the frame invariably coincides with a grid line.

The second is either the beginning or the musical starting point of the note, represented, respectively, by a note separation or a vertical dash with a triangle. The latter will not necessarily be aligned with the left-hand extremity of the blob. Think of a brass instrument, for example, where each actual note is often heralded by a certain amount of wind noise. Admittedly this noise belongs to the note, but from the standpoint of timing what is of relevance is the moment the sound really unfolds and the pitch first becomes discernible; that is the timing-critical moment.


If you quantize notes with the Quantize Time Macro, the musical starting point of each note (if one has been determined; if not, the beginning of the note) will move towards the left-hand side of its gray frame. The quantization intensity slider determines whether it goes all of the way, or only part of the way, to the beat assigned it.

There are also notes for which no starting point is displayed. Such is the case with notes – and not only the human voice but almost all instruments too are capable of producing them – with an attack so drawn out that it is impossible to find an instant of which you can say with any confidence “this is where the note really begins”. It still begins somewhere, of course, so Melodyne treats the onset of the sound – the start of the long attack phase, in other words – as the musical starting point and moves that to (or towards) the quantization target – i.e. the beginning of the frame.

In determining, or seeking to determine, the musical starting point of each note, Melodyne conducts a careful analysis of the audio material and in most cases its determination is musically correct. Any time you disagree, though, you can enter Note Assignment Mode and define some other instant within the life of the note as its musical starting point.

The Melodic algorithm requires separate mention because when it is active, Melodyne locates and marks what it calls “sibilants”. In the term “sibilants”, Melodyne includes not only fricative consonants and digraphs such as “s”, “z”, “ch” and “zh”, but also word fragments like “k” and “t” as well as the sound of the vocalist inhaling or exhaling between words. Whenever such a sound coincides with the start of a blob, the musical starting point identified by Melodyne always comes later. This produces more sensible results when quantization is applied than would be the case if the sibilant itself were regarded as the musical starting point of the note.


Another way of changing the way sibilants are handled by the Quantize Time macro is to use the Separation Tool to slice the note in two at the point where the sibilant ends; so an “s”, for example, at the beginning of a word, would get a blob all to itself. Since an unvoiced “s” can have no musical starting point, the left-hand extent of this blob (i.e. the onset of the sound itself) would then be regarded as the critical moment for the purposes of quantization.



Opening the Quantize Time Macro and setting the parameters


Select the notes you wish to edit. If no notes are selected, macro editing will by default affect all notes.

To open the Quantize Time Macro, choose Edit > Quantization Macros > Quantize Time or click the Quantize Time icon (illustrated here) to the right of the toolbar in the Note Editor.



First, the Groove Reference (if any) that will govern the time correction must be selected.

If Auto is selected, the target (or ultimate destination) of any quantization will be the left-hand edge of the gray frame, as already described. This is invariably aligned with the grid line that represents the beat to which Melodyne, in the course of its analysis, assigned the note. (On the whole, the system functions very well; but it can happen that Melodyne gets it wrong, and that after quantization you have to move the note manually to the preceding or following beat.) By selecting Auto, in other words, you are telling the Quantize Time Macro to move notes to (or towards) the beats assigned them by Melodyne based on its own analysis of the material.



With the other buttons, you can select the target grid for the quantization. The 'T' next to the note values stands for the corresponding triplet. If you select 1/4 as the Groove Reference, to give one example, the grey frames will move to the nearest quarter-note (or 'crotchet') and this will then become the ultimate destination for any quantization.

Note that the time correction macro works differently from, and in a more musical fashion than, the quantization typically offered by MIDI sequencers. Instead of simply causing all notes to snap to the selected grid, it edits the points of rhythmic emphasis of the selected notes. If, for example, you take a passage containing successions of sixteenth notes (semiquavers) and quantize it to quarter notes (crotchets), the beginning of each succession of sixteenth notes will be moved to the nearest quarter note. The timing of the semiquavers within the sequence, however, remains unaltered. If you wish to tidy that up as well, you can do so in a second pass, taking each semiquaver sequence in turn and using sixteenth notes as the quantization factor.

The Intensity slider determines what percentage of the distance to this ultimate destination the notes will travel in the course of quantization. If you select 0%, for example, they'll not budge; 50%, and they'll go half way; 100%, and they'll travel the full distance, ending up precisely on the beat. You can modify both the Groove Reference and the Intensity of the quantization in real time as the audio plays back; and hear, but also see (from the movement of the blobs in the Note Editor), the effect of different settings.

If you have already finely adjusted the position of notes using the Timing Tool, Melodyne will assume you are satisfied with the results; this means that, by default, if you now open the Quantize Time Macro with no notes selected and begin making changes, all notes will be affected except these. If you wish the position of these too to be affected by the macro, check 'Include notes fine-tuned manually'. The option is grayed out, of course, as being of no relevance, if no manual editing of note positions has been performed.

Closing the macro and correction values on reopening

Exit with OK to keep your changes or Cancel to discard them. Naturally, the fact that you have used the Quantize Time Macro in no way precludes your moving notes at any time subsequently by hand.

If you select a note that has already been edited using the macro and then open the macro again, the settings previously applied to it will be displayed; the macro remembers, in other words, the parameters previously applied to each note. If the current selection includes notes to which different settings have been applied, a mean value for each parameter will be displayed. Even after exiting with OK, you can still reverse the effects of the macro editing by using the undo function.


The Leveling Macro

The Leveling Macro serves to reduce or eliminate excessive volume differentials between the notes on a track. It can be used to make quiet notes louder, or loud notes quieter, or both – until, in the extreme case, no dynamic variation remains.

Opening and setting the Leveling Macro


First select the notes you wish to edit. If no notes are selected, the macro will govern all the notes on the track.

Now open the Leveling Macro either from the Edit menu or by clicking on the icon shown here above the Note Editor.




The macro offers you two converging sliders. The left-hand slider, as you move it from left to right, makes the quiet notes louder; the right-hand slider, as you move it from right to left, makes the loud notes quieter.

When you first open the macro, their positions are as follows;



If you apply maximum leveling, they will then look like this:



The Mean Amplitude

Coming from the left (quiet) and right (loud), the two sliders as they converge shepherd the blobs towards the Mean Amplitude in the center. This value is derived from an analysis of the notes you selected before opening the macro. It is therefore based upon the musical content and cannot be adjusted manually.

When you use the macro, you will notice that any given note will respond either to one slider or to the other. The reason is obvious: a given note's amplitude in the original audio file cannot be less *and* greater than the Mean Amplitude. Note also that since the ultimate extent of each slider is the Mean Amplitude (a line that neither can cross), a note that was originally quieter than the Mean Amplitude can never pass above it; and a note that was originally louder than the Mean Amplitude can never pass below it.

A further observation: You may notice that certain blobs, representing very quiet sounds that are also of very short duration, do not respond to the macro at all. This is deliberate, as Melodyne initially assumes the blobs in question represent (extraneous) noise, which if boosted by the left-hand slider of the macro would become even more obtrusive. Naturally, you can edit such sounds freely by hand using the Amplitude Tool.

If you have adjusted the volume of any of the selected notes manually using the Amplitude Tool before opening the macro, it is the adjusted rather than the original values that will be considered when calculating the mean amplitude. It is from the most recently set amplitude of the manually adjusted notes that any movement towards the centre will begin as the leveling takes effect. If you do not wish a manually adjusted note to be affected by the leveling, simply exclude it from the selection before opening the macro.

Of course, if you only select one note prior to opening the macro, neither slider will have any effect, as in that case the mean amplitude of the selection and the amplitude of the selected note will be identical.

Closing the macro and correction values when it is subsequently re-opened

Exit the macro with “OK” to keep your work or with “Cancel” to return to the status quo ante. Obviously, you can apply further adjustments later to the volume of the notes in question with the Amplitude Tool whether you exit with “OK” or “Cancel”.

Furthermore, even if you exit with “OK”, you can still use the Undo function to nullify the effects of the macro. Another way of doing this is to right-click (with the Amplitude Tool selected) and choose “Reset Amplitudes” from the context menu.

If you select a note the amplitude of which has already been affected by the macro and then open the macro again, the percentage shown in the macro window may differ from that displayed on the previous occasion. This is likely to be the case if the other notes selected are different on each occasion, as the mean amplitudes of the two selections will almost certainly differ and, with them, the percentage values displayed.

Main Tool


Melodyne's Main Tool is context-sensitive, its exact function at any given moment depending upon its position relative to the selected blob.

Modifying the pitch and timing of notes

Select the Main Tool (denoted by an arrow) from either the toolbox or the context menu of the Note Editor or by pressing the [F1] key of your computer keyboard. (If you wish to assign a different shortcut to this tool, you may do so after choosing Melodyne > Preferences > Shortcuts > Editing Tools from the main menu.)



With the Main Tool, move the arrow to a point near the center of a blob and press and hold the mouse button as you drag it vertically to alter its pitch or horizontally to edit the timing. It is the initial movement (whether vertical or horizontal) that determines whether it is the pitch or the timing of the note that is altered. Before changing axis, you must first release the note. If you hold down the [Alt] key as you drag the note, the Pitch Grid or Time Grid, even if active, will temporarily be ignored, allowing you to position the note exactly where you want it.




While you are dragging a note up or down, you will hear the frozen sound of the note at the point where you clicked. If, whilst dragging, you move the mouse to the right or left, you can put other parts of the note under the acoustic microscope. If you do not wish to monitor pitch changes in this way, uncheck the option Monitor When Editing Blobs in the Options > Note Editor sub-menu, which can also be accessed via the cog icon in the top right-hand corner of the Note Editor.


If you double-click with the Main Tool on the middle part of a note (or on a selection of notes), you quantize the note or notes to the nearest pitch allowed by the current Pitch Grid. This offers you a quick and simple way of correcting intonation.

Modifying note lengths

Open the Note Editor Options menu and check Show Blob Info. Zoom in on a few individual blobs, so that you can study them more closely. Now, as you move the mouse pointer over a blob, thin lines appear indicating the zones in which the Main Tool performs particular functions. For illustrative purposes, the lines here have been drawn more boldly than in the program itself. The central area you already know about. This has to be distinguished from the front, back and upper regions of the blob. As you move the mouse pointer from one of these regions to another, it changes its appearance to emulate whichever of the more specialized tools is most appropriate to that zone – adopting its functions at the same time.



Drag the front part of a note to the right or left. Hold down the [Alt] key as you do so if you wish to override an active time grid. Now only the beginning of the note moves; the end remains anchored, so the note is either being stretched or compressed.



In the same way, you can move only the rightmost part of the blob (corresponding to the end of the note).

Notice that as you move the beginning or end of a note in this way, the preceding or following note, if adjacent, is also either stretched or compressed by the same amount to avoid either the two notes overlapping or white space (silence) appearing between them. This type of relationship exists whenever a pitch transition between consecutive notes has been detected. By moving the adjacent note as well, Melodyne ensures that discontinuities are avoided and the musicality of the phrasing is preserved.

Editing note separations

If you move the mouse pointer to the upper part of a note (above the horizontal line), the Main Tool adopts the appearance, and emulates the functions, of the Note Separation Tool. If you double-click now, you can create a note separation – i.e. slice the note in two.



Don't be surprised if the two notes that result move apart in pitch: this is because a new tonal center is calculated for each of the newly created notes, and that may differ from the tonal center they shared when they were one note. In such cases, each therefore moves to a new vertical position based on its newly calculated pitch center.

You can move an existing note separation horizontally with the Note Separation Tool. Before you begin, choose Options > Note Editor Options and check Show Note Separations.

You can double-click a note separation to remove it.

If you select several notes and move a note separation, the note separations of the other selected notes will also be moved. If you double-click one of the note separations to remove it, those of the other selected notes will also be removed.

If you have selected several notes that overlap, you can simultaneously insert a note separation at the same point in all of them, as well as move or remove one.

Copying notes


To copy notes in Melodyne, first select the desired notes, then choose Copy from the Edit menu or the context menu of the Note Editor. To insert them, use the Paste command. The following points here need to be noted.

The selection, cursor and grid when copying

When you copy notes to the clipboard using the Copy command, you will notice that the cursor moves to the start of the selection, or, to be more precise, to the quarter-note (crotchet) on the Time Grid closest to the first note of the selection.


If, with the notes still selected, you use the Paste command, all that appears to happen is that the notes that were selected prior to the paste are now no longer selected and the cursor is now located just after the last of them.

In fact, however, the notes previously selected have been replaced by those on the clipboard. In other words, the notes have been copied onto themselves, with the copies replacing the originals. Admittedly, this may not sound particularly useful, but look at the position of the cursor: it is now aligned with the quarter-note on the Time Grid closest to the last copied note.




If you now execute a further Paste, the notes on the clipboard will be pasted a second time. This time, however, since no notes were selected, nothing will be replaced. Instead, the newly pasted notes will end up just after those that replaced the originals the first time round.

Their position is now determined by the cursor. And since, after the first paste, this was aligned with a quarter-note on the Time Grid (the first quarter-note after the pasted notes, to be specific), the effect of the second paste is that the original alignment of the notes relative to the gridlines is reproduced exactly, only further along the timeline. This behavior allows you to string together a succession of copies of the same passage, quickly and accurately – in order, for example, to create multiple iterations of a drum loop.




Based on what we have just seen, we can formulate the following rules:

- If any notes are selected when the Paste command is executed, these are replaced by the contents of the clipboard. The pasted notes are stretched or squeezed until they fit exactly the range from the beginning of the first to the end of the last note of the selection. This is illustrated here: on the left are the notes to be copied; in the centre, a single selected note, which serves as the destination of the copy; on the right is the result after the paste is performed: The selected destination note has been replaced and the pasted notes squeezed just enough for them to fit exactly the space it occupied.



- If when the Paste is executed no notes are selected, the cursor determines the point at which the pasted passage begins. The grid settings here play an important role: when copying notes to the clipboard, Melodyne remembers the distance between the first of the copied notes and the nearest grid line. When the paste is repeated at the new cursor position, the offset of the first pasted note to the gridline nearest to it will be exactly the same.




In other words, notes in Melodyne are not copied in such a way that they necessarily coincide with gridlines, because then the subtleties of expression would be lost. Instead, the notes copied retain their respective offsets to the grid. There is an exception, however, to this rule: if, instead of being calibrated in beats, the grid is calibrated in seconds (i.e. if you have selected “Sec” from the Time Grid Settings drop-down menu to the right of the Time Ruler), then the note (or first of a series of copied notes) will begin exactly at the cursor position, with no offset.

- After each paste, the cursor is moved to the first quarter-note following the most recent paste, making it easy to string together multiple iterations of the same passage. Obviously, if you wish, you can move the cursor by hand to some other point on the Time Ruler and make that, rather than the automatically selected quarter-note, the reference point for the next paste. You might want to do this, for instance, to introduce a pause between iterations.
- The pitch of the copied notes is always the same as that of the originals. This is even true when notes are selected, and therefore replaced, when the paste is performed. The length of the passage selected, in this case, is retained but the original pitch of the notes it contained is not. Of course, after performing the paste you can move the notes by hand to any pitches you like.

Tempo adjustment when copying: the Auto Stretch Switch

If notes are selected when the paste is performed, the inserted passage will be stretched or squeezed to fill the available space (i.e. that between the beginning of the first selected note and the end of the last) as we have already seen. But how is the tempo of the copied passage treated when the position of the paste is determined instead by the cursor?




If the tempo at the destination of the paste is different from that of the passage from which the notes were copied, it is the status of the Auto Stretch Switch that determines whether the pasted notes adjust to the tempo of the destination or retain their original tempo. If the Auto Stretch Switch is on, they adjust; if it is off, they do not. So unless you want to change the tempo at the cursor position, you should switch Auto Stretch on before performing the paste.

Copying in an ARA context

Within a clip, you can copy and paste notes without any restrictions. Whether you can copy a note from one clip and paste it into another depends upon whether or not the two clips are accessing the same audio file.

Example: You have sliced up a fairly long drum recording in the DAW into individual clips, sorted these in the DAW arrangement, and are looking at them now in Melodyne's Track Edit Mode. In this case, you can copy and paste notes freely (because they were originally part of one long recording) without paying attention to the clip borders.

If, on the other hand, you have made a collage in the DAW arrangement of snippets taken from different recordings – from successive vocal takes, for instance – and are looking at these in Track Edit Mode, you cannot copy and paste notes with the same freedom. The color assigned to each of the five takes in the following screenshot indicates the take from which it is derived:



Here you cannot copy the note selected at the beginning of Bar 17 (or, indeed, any other note derived from a red clip) and paste it into Bar 16, because the destination clip is a different color – in this case, green – and is therefore derived from a different recording. You can, however, paste it into Bar 18, because the content there is derived from the same red take.

Audio to MIDI

From this tour, you will learn how to save audio notes in Melodyne as MIDI notes.

About Audio-to-MIDI

Melodyne allows you to export audio notes as MIDI notes, in order, for example, to double your vocals with a sound from a software synthesizer.

The MIDI notes are an exact representation of the audio notes in Melodyne. For each audio note, a MIDI note is created with the same position, length and pitch. The velocity of each MIDI note is derived from the amplitude of the audio note it represents.


That is equally true whichever algorithm is used, with a few algorithm-specific exceptions: In the case of vocals, breaths are not exported as MIDI notes; and if you convert rhythmic material or material edited with the Universal algorithm into MIDI, all the MIDI notes will share the same pitch but take their position, length and amplitude from their audio equivalents on the rhythm track. You can use this technique, for example, to derive from a drum loop a quantization reference for other MIDI tracks in your DAW.

The generation of MIDI notes from audio material offers a wealth of different creative possibilities. Try it out for yourself!


Exporting MIDI

From Pro Tools and Pro Tools Ultimate versions 2020.11 upwards, the export of MIDI employs ARA technology and is therefore particularly closely integrated into Pro Tools. You can trigger all the actions directly from within Pro Tools; not only is no transfer necessary, you do not even need to have Melodyne on the track. There are three different ways of proceeding:


Export the entire track via the menu: To do this, right-click on the track and choose *Extract MIDI to New Track* from the context menu; this converts all the clips on the track into MIDI. In the dialog box that appears next, you can stipulate (among other things) that a single track should be created either for external MIDI or an internal software instrument, and the notes will then be transferred to this.



Export individual clips via the menu: To do this, select the clip or clips you wish to export, right-click on one of them and choose *Copy Audio as MIDI* from the context menu. This converts only the selected clips and stores them on the clipboard, so that you can paste them from there onto a MIDI track.




Drag and drop: If you already have a MIDI or software instrument track in your session, simply drag one or more audio clips onto this track.



Whichever of the three methods you choose, a dialog box opens with various options, one of which is invariably the choice of algorithm to be used for the analysis.

The algorithms displayed here by Pro Tools are those of Melodyne. All of them, incidentally, are available – including the polyphonic ones – regardless of the edition of Melodyne you are using, even if it's the entry-level Melodyne essential.

Once you have made your choice and confirmed it with OK, Melodyne conducts its analysis of the audio clips and provides Pro Tools with the corresponding MIDI data. The process doesn't involve the audio clips actually opening in Melodyne; everything happens, so to speak, behind the scenes.



If the audio clip in question has already been edited in Melodyne via ARA, you will generally not want a new analysis ('detection') of the material to be conducted, as the material analyzed would be the original audio recording rather than the edited version; whereas what you would want converted to MIDI, if, for example, the original audio clip contained a vocal melody that you had subsequently altered in Melodyne, would be the new melody, not the old one.


To achieve this, the procedure is initially the same as the one described above (for clips to which no Melodyne editing has yet been applied): The dialog box opens in Pro Tools, and you choose your settings.

When it comes to the choice of algorithm, however, you should leave the default setting ("Automatic") unchanged, in which case the MIDI clip generated will be based on the current (Melodyne-edited) melody and chords, not those of the original recording. If you were to select a different algorithm, the result (depending upon your choice) might be a discrepancy between the melody and chords of the MIDI clip and those of the (edited) audio clip. The results could, of course, be interesting and might even on occasion be desirable, but as a rule, if you've already edited the clip in Melodyne, leave the default setting ("Automatic") and exit the dialog with "OK".

Time stretching and tempo adjustment

When you optimize tracks and clips with Melodyne in Pro Tools, Melodyne also takes over the tasks that would otherwise be performed by Elastic Audio. In this way, using the accustomed workflow and without any tedious intermediary steps, you can implement time stretching and tempo adjustment. This tour outlines all you need to know on the subject.

As soon as Melodyne is applied to only a single clip on a track, Melodyne assumes responsibility for the time stretching. This is indicated by the fact that “Melodyne” is displayed in the track header where you might ordinarily see the name of one of the Elastic Audio algorithms:



Regardless of whether you use Elastic Audio or Melodyne, you have the following options in Pro Tools if you want to carry out any time stretching or tempo adjustments.

The TCE tool

This allows you to alter the tempo of a clip by stretching or compressing it along the time axis (TCE stands for “Time Compression and Expansion”). As a Pro Tools user, you will already know how to select and use this tool. A typical workflow might look like this:

- You import into your session a drum loop the tempo of which is as yet unknown.
- This results in the creation of a new clip, which you now drag until the first beat of the loop is aligned with a downbeat in the bar ruler.
- Finally, using the TCE tool, you drag the end of the clip until the second downbeat of the loop coincides with the next downbeat in the Bar ruler. This will synchronize the drum loop to the tempo of the session, allowing you to make free use of it thereafter in your arrangement.

This is a workflow with which you are already no doubt familiar in Pro Tools, the only difference being that normally an Elastic Audio algorithm is used to adjust the tempo of the drum loop. However, if you apply Melodyne via ARA to the drum loop at any stage (it doesn't matter which) of the workflow we have just described, Pro Tools will reassign the task of tempo adjustment to Melodyne.


The workflow itself will remain exactly the same. You will perhaps find it easier to align the beats with the ruler though, as Melodyne's blobs provide a clearer guide to orientation than the raw waveform of the clip. And depending upon the material you are working on and the amount of compression or expansion being applied to it, you will notice that the audio quality is higher with Melodyne too.

Adjusting the tempo with the Tempo track


If you set a track to “ticks” instead of “samples”, the clips of the track in question will adjust to all changes that you make in Pro Tools' Tempo track.

Here, too, whether you choose Elastic Audio or Melodyne makes a difference – at most – to the sound, the procedures you follow and the musical implications being the same in either case. With Melodyne, though, you always have a clear overview of what exactly is happening.

For starters, you can see in Melodyne the tempo of your session:



The value displayed, however, will change if you make changes in Pro Tools Tempo Editor. The display then may look something like this:



- The value in parentheses (in this case: 96 bpm) is the original tempo of the session.
- The value before the parentheses indicates that you have altered the song tempo (which is now in this case 120 bpm) and that Melodyne is therefore compressing the material to make it play back at 120 bpm instead of 96 bpm.


This information is simply there for your enlightenment. You do not actually have to take any action yourself, because Melodyne follows automatically any tempo changes, whether sudden or gradual, that you make in Pro Tools, and the two programs therefore remain at all times perfectly in sync.

Please note, however, that when you first apply Melodyne to a new clip, it does not conduct its own analysis of the clip's tempo, as it assumes the clip was recorded at the same tempo as the song. This assumption is usually correct, of course – invariably so, in fact, in the case of a vocal or instrumental track recorded in Pro Tools to a click.

An imported drum loop, however, may have been recorded at a different tempo, in which case your workflow would be as described above: You would use the TCE tool to drag the loop to the session tempo, which would then correspond to the Melodyne display; and if you were later to change the tempo (to 120 bpm, for example, as in the example above) that, too, would be correctly reflected in the display.

The other tempo options in Melodyne

In the drop-down menu next to the tempo display, you will find four ARA-based tempo options. These serve in Melodyne to meet the needs of more complex applications than the ones described above (which Pro Tools can in any case handle on its own without Melodyne).



The current ARA implementation in Pro Tools, however, does not support these additional functions, so it makes no difference – for good or ill – which (if any) of the four options is selected. There is no point, therefore, in describing these functions in detail now. We will do so as and when they are incorporated into Pro Tools' ARA function set.

Switching to Melodyne studio trial mode

Explore all the possibilities Melodyne has to offer! To do this, simply switch your Melodyne essential, assistant or editor to Melodyne studio trial mode. If you do not have Melodyne, you can [download the trial version here](#).


Switching to trial mode

When you switch to trial mode, your Melodyne essential, assistant or editor will be transformed for 30 days – free of charge and without obligation - into Melodyne studio, the largest Melodyne edition, which contains the full range of Melodyne functions. You can use all these functions for 30 days without restriction, exactly as if you had purchased Melodyne studio. Trial mode can only be activated once on the same computer. To switch to trial mode, and each time you launch Melodyne studio during the trial period, you will need an Internet connection.


Here's how to activate trial mode:

1) Start Melodyne. Next go to the Help menu and select "License".

In the plugin:




In the stand-alone implementation:



2) You will be directed to your user account in your browser where you will see your license options.

In the "Melodyne studio trial mode" frame, switch to trial mode:




That's all there is to it. Trial mode will remain active for 30 days, so when you return now to Melodyne you will see that the “Melodyne studio” edition is running.

Comparing editions

If you wish, you can switch to a smaller edition in the course of the trial period in order to compare the range of functions offered by the various editions. This could be useful, for instance, if you own Melodyne essential and are wondering which of the larger editions to upgrade to. Easy. Just try them all.

To switch editions, select “License” from the Help menu exactly as before. This will take you back to your user account in your browser, where you will be given the option of switching to one of the smaller editions.



Your choice, however, will only remain effective while Melodyne is actually running. As soon as you restart Melodyne, the full Melodyne studio function set will be restored.

Expiry of the trial period

At the end of the 30-day trial period, Melodyne will automatically revert to your previous edition. Further editing of projects created during the trial period will still be possible, but only using the functions of your previous Melodyne edition. Playback, however, will be unaffected, so none of the work you did during the trial period will be lost.

Convinced?


If you wish, you can switch permanently to Melodyne studio at any time during the trial period or thereafter. The requisite upgrade can be obtained [from our web shop](#) or from your local dealer.

Melodyne 5: Update guide

The following is a brief summary of all you need to know to get started with the new Melodyne 5. In the individual tours in the Help Center, you will find plenty of exciting tips, tricks and background info to read later, but the best place to begin is here.

The Melodic Algorithm with Sibilant Detection


First the good news: You don't have to do anything; during its initial analysis of the material (the 'detection'), the algorithm in its default setting automatically separates the pitched from the unpitched (noise-like) components of the sound and thus behaves correctly during the playback. The upshot is better sound, pure and simple.



The extent of any noise-like components that have been detected – we call them 'sibilants' – is indicated by hatching. This is how Melodyne marks not only sibilants proper ("s", "z", "ch" and "zh") but also other unvoiced consonants like "k" and "t" as well as the sound of the vocalist inhaling or exhaling between words.

If any part of the detection seems strange or incorrect to you, you can switch to Note Assignment Mode where you will find the requisite [Correction Tools](#) though doing so is seldom necessary.

When you alter the pitch of a note, Melodyne does not alter the frequency of the sibilants, as that would sound unnatural – after all, in real life no singer has the wherewithal to sing one "S" higher than another or pitch the sound of their own breathing. In the display, however, the hatched areas do move up or down with the rest of the blob when the corresponding note is transposed, but they do this solely in the interests of legibility, so that the visual integrity of each syllable is preserved.



The way changes in the length of notes is implemented in Melodyne now also better represents the natural behavior of singers: if a note contains both sibilants and pitched components, the sibilants remain unaltered. When time-stretching is applied to the word “sweet”, for example, it becomes “s-weeeeeeee-t” (not “sss-www-eeeeeee-ttt” or anything ghastly like that!).

The case is different where the note in question (or, in this case, the sound to which the blob refers) consists *solely* of sibilants and has no pitched components at all, as is often the case with breath noise: this would certainly be shortened to make room for a time-stretched word invading its space. But here, too, the principle is the same, because if the rest between two words were shorter, the singer would necessarily take a shorter breath. So even when it comes to lengthening or shortening breathing sounds, Melodyne 5 automatically achieves a natural effect.

And once they have been isolated, breaths can be stretched or squeezed using a different algorithm, with results that sound considerably better than those of earlier versions of Melodyne.

Since, however, sibilants often coincide with pitched components, it can happen that breath sounds do sometimes move; when this happens, it is because Melodyne has detected a small pitched element in them that has been transposed, and this fact must naturally be reflected in the display. This should not surprise you.

All editions of Melodyne profit from these improvements – even the entry-level Melodyne essential.

Compatibility with Melodyne 4

When you open projects that were saved by an earlier version of Melodyne, they sound exactly the same in the new version as in the old. This is because when you open old documents, two new functions are initially not activated:

- Sibilants are not detected.
- Pitch centers of notes are still calculated as in Melodyne 4.

The upshot is that everything sounds exactly as it did before, so if you open your old project today with the intention simply of making some minor change to the mix, you do not need to take any special precautions.

If, however, you plan to do substantially more work on the project, taking advantage of the new features of Melodyne 5, you can do so simply by switching on Sibilant Handling on the vocal tracks. This is done by:

- placing a checkmark next to the option “Sibilant Handling” in the [Algorithm Inspector in Note Assignment Mode](#). This will trigger a fresh analysis of the entire track; when this is finished, any sibilants will be marked and the playback algorithm will behave accordingly. This may change the sound, usually for the better. Please note however that Sibilant Detection is only available with the Melodic or the Percussive Pitched algorithm; with all the others, the function is grayed out.


Unfortunately, this function is not available with the edition Melodyne essential. If you want to edit an old Version 4 project taking advantage of the new sibilant functions, you must trigger a fresh detection of the material by clicking the words ‘Melodic’ or ‘Percussive Pitched’ (as appropriate) in the Algorithm menu. Please bear in mind, however, that if you do this, all your previous editing will be lost, so it will seldom be worth it. Another option would be to upgrade to Melodyne assistant; then not only would the entire tool kit be at your disposal but you would also be able to switch Sibilant Handling on and off.

- triggering a recalculation of the pitch center of the notes. To do this, you must enter Note Assignment Mode and ALT-double-click on the relevant notes. While it is replotting the Pitch Curve of each note, Melodyne also recalculates its pitch center. As a result of the improved method of determining the pitch center of each note, the blobs may realign themselves slightly in the vertical plane, with some moving upwards and others down; the results in either case reflect more faithfully the perceived pitch of the notes.

More on the [new way of calculating the pitch center](#).

The Leveling Macro

The new Leveling Macro allows you to rein in volume disparities swiftly. Its effect is to reduce differentials between the amplitude of different notes on a track – not only in melodic but also in percussive and even polyphonic material.



The left-hand fader makes the quiet notes louder, whilst the right-hand fader makes the loud notes quieter. With both faders set to 100%, all the notes will have the same amplitude.

Whilst this may sound simple, it can accelerate your workflow considerably – particularly in the case of polyphonic material, as it allows you swiftly and effortlessly to iron out or reduce disparities between the volume levels of different notes within chords.

You can find out more about the Leveling Macro [here](#).


Pitch correction by double-clicking and the Correct Pitch Macro

Whether you double-click on out-of-tune notes to correct intonation errors or use the macro, the new, musically weighted calculation of pitch centers delivers better results. Whereas previously you often had to fine-tune individual notes manually, even after double-clicking or using the macro, now Select All followed by a double-click always results in musically correct intonation. Further editing is now required, at most, in a handful of specific genres to steady-up the beginning or ending of words – and even this can be performed in Melodyne 5 in next to no time.

Both the Correct Pitch macro and double-clicking also profit from the new Chord Track. To an extent you can control, and in an extremely musical manner, not only can the intonation of the notes be improved swiftly but they can also be transposed simultaneously to fit the chords of the song. This allows any instrument track or any sample to accompany any song.


Chord Recognition and the Chord Track

If it is not already visible, click [here](#) to show the Chord Track.




There are now various ways of filling in the chords:

- by hand. If you know the chords, you can just type them in. From the Preferences dialog, you can choose between various chord naming conventions.




- via ARA: If your DAW is equipped with a chord track and makes it available via ARA, Melodyne can simply take the chords from the DAW. Any subsequent chord changes you make in the DAW will be reflected immediately in Melodyne.




- using the Chord Recognition function. If you do not know what the chords of the song are, Melodyne can find out for you. Select for the purpose tracks with as much harmonic information as possible (e.g. guitar, keyboard or bass) and as little pitch fluctuation as possible (so preferably not vocals); do not include drum tracks.


Now right-click on the Chord Track and choose “Analyze Chords”.



Once the Chord Track has been filled in, you can set the Pitch Grid in the note-editing background to reflect the changing harmonies of the song. From this, you can tell at a glance which pitches are, and which are not, suitable destinations for notes.



If you now activate the grid by selecting 'Chord Snap', whenever you drag and drop notes they will snap to pitches consistent with the named chord.



The same thing will happen whenever you double-click on a note or selection of notes; each note will move to the nearest pitch consistent with the named chord. It can happen, of course, that two or more notes then come to rest at the same pitch, so it is worth casting a quick eye over the results.


You will find everything relating to chords, the Chord Track and adapting new material to fit the chords [here](#).

The new Percussive Pitched Algorithm

With Version 5, Melodyne has acquired a new algorithm. The Percussive Pitched Algorithm combines the strengths of two of the existing algorithms.

Like the Percussive algorithm, the new algorithm is optimized acoustically for drums and percussion, or – in more general terms – for noise-based material.

In other respects, though, with its display format in which pitches are clearly identified, the Percussive Pitched algorithm is more like the existing Melodic algorithm.




Suitable candidates for the new algorithm are all drum-like instruments that are capable at the same time of producing recognizable melodies: an 808 loop, for example, which in addition to the noise-based snare and hi-hat sounds includes a kick drum tuned to the bass of the song as well as tuned toms. A beatboxer track would be another typical candidate for the new algorithm; there, too, melodic (bass) with percussive (snare) elements are united in one and the same recording.

[More on this....](#)

Keyboard shortcuts

In Melodyne, virtually any function can be controlled using a keyboard shortcut. Experienced Melodyne users know how to take advantage of this, and are able to perform tasks considerably more swiftly by using shortcuts tailored to their own specific working habits.

To facilitate the handling of keyboard shortcuts, the Shortcuts page of Melodyne 5's Preferences dialog offers a search function that makes creating your own sets of shortcuts easier and more intuitive.



You can find out more about keyboard shortcuts [here](#).

Pro Tools bundle: essential or coupon?

From Version 2020.11 onwards, every Pro Tools and Pro Tools Ultimate comes with a license for Melodyne 5 essential. If, however, you already own a Melodyne, we are offering you instead a coupon for our web shop. Here we will explain how this works.


Who gets a Melodyne 5 essential and how?

Melodyne 5 essential is included from Version 2020.11 upward, which you get if you have an active *subscription* for Pro Tools or purchased a *Perpetua*/license and have an active *Update + Support Plan* for it.

Melodyne 5 essential is installed automatically along with Pro Tools unless the installation program discovers a version of Melodyne already installed on your computer, in which case your existing version of Melodyne will not be affected and a coupon for an update or upgrade will be substituted for the Melodyne 5 essential you don't need.

Where can I find the serial number?

You will find the serial number of your Melodyne 5 essential in your Avid account. Log in and click on "View My Products" and you will see an entry for Melodyne 5 essential displaying the serial number.



How does the coupon work?

[In our web shop](#), first place the update for your existing Melodyne or the desired upgrade in your shopping cart; then, when you come to pay, enter the serial number of your Melodyne 5 essential as your coupon code and click on “Redeem”.

Your shopping cart

These products are located in your shopping cart:

Article	Price
Melodyne 5 editor, upgrade from Melodyne assistant (any version) as download, single-seat license	US\$:
Total amount US\$1	

Coupon code? Please enter it here:

The coupon has a value of €/US\$ 20. This is what you will save if you use the coupon when upgrading to a larger edition of Melodyne or when adding a workstation to your existing license. If you use it when *updating* from an older version of Melodyne to the current edition, the coupon will save you even more:

- Melodyne assistant: with the coupon, the update is free of charge, so you save 49 €/US\$
- Melodyne editor: with the coupon, the update costs only 29 €/US\$, so you save 70 €/US\$
- Melodyne studio: with the coupon, the update costs only 49 €/US\$, so you save 100 €/US\$

What if I have already activated my Melodyne 5 essential by mistake?

In that case, you can still use the Melodyne 5 essential serial number as a coupon code. If you do so, however, you will no longer be able to reactivate your Melodyne 5 essential, as use of the coupon voids the license.

Coupons: terms and conditions of use

Pro Tools customers from version 2020.11 onwards are entitled to a serial number for Melodyne 5 essential. Pro Tools customers who are also already Melodyne customers can use this serial number instead on a single occasion as a Melodyne coupon in the Celemony web shop. Use of the coupon in this way voids the Melodyne 5 essential license.

- The coupon is only valid in the Celemony web shop (under www.celemony.com) and only when purchasing Melodyne updates or upgrades or when adding an additional workstation to an existing Melodyne license. The coupon cannot be used for the purchase of any other products. When the coupon is used in the purchase of a product for which it is valid, you will be credited with the amount in question, which will therefore be subtracted from the purchase price.
- The coupon can be redeemed within one year of receipt of the serial/coupon number and in any case within three months of the release of Melodyne 6.
- Only one coupon can be redeemed per purchase transaction in the Celemony web shop. The coupon cannot be exchanged for cash.
- The coupon cannot be used in combination with other coupons/discounts and cannot be redeemed for purchases already made.

Version history

Here you will find an overview of all changes introduced by the most recent Melodyne updates.

New in Version 5.4.2

The free update to Melodyne 5.4.2 features optimizations and bug fixes as well as important adaptations to macOS Sequoia. We recommend it to all users.

- macOS Sequoia: Previously, the function “Private Wi-Fi Address” made it necessary to reactivate Melodyne. With Melodyne 5.4.2, the function can be used free from any such inconvenience.
- macOS in general: Scrolling with the trackpad has been revised and improved.
- macOS in general: Changing to another program sometimes gave rise to graphic artifacts.
- ARA and plug-in: Under certain circumstances, opening Melodyne could lead to a crash.

New in Version 5.4.1

The update to Version 5.4.1 contains improvements and bug fixes, which is why we recommend it to all users.

- Language localization: Switching to the French language version no longer worked, the previously selected language was retained.
- Windows: Under certain circumstances on some Japanese, Korean or Chinese systems, Melodyne failed to launch.
- macOS: On some systems, graphic errors could occur after closing the toolbox.
- ARA: It was sometimes impossible to edit the Chord and Key tracks.

New in Version 5.4

The update to Version 5.4 contains improvements and bug fixes, which is why we recommend it to all users.

- Pro Tools and Cubase with ARA: When opening a project with Melodyne, crashes sometimes occurred.
- Pro Tools with ARA: Deleting a clip from a stereo track with Melodyne ARA during playback sometimes led to a crash.
- All versions under Windows: In the event of a faulty connection with the Celemony server, a crash sometimes occurred.
- Studio One with ARA: When using the Fade Tool or closing a session, crashes sometimes occurred.
- ARA: Opening a second tab after opening the Sound Editor sometimes resulted in either a blank user interface or a crash.
- Stand-alone implementation: Under macOS, invoking the Undo function during a copy operation sometimes led to a crash.
- Stand-alone implementation: Crashes sometimes occurred when activating Melodyne.
- Stand-alone implementation: The command “Save and Replace Audio” sometimes resulted in a crash when the audio file being edited was at the same time being used and played back in a DAW.
- Trial version of Melodyne: Interrupting activation under Windows sometimes led to a crash.
- All versions: In the Japanese user interface, an incorrect localization for “Sibilant Handling” was displayed in Note Assignment Mode.
- ARA: The ARA mode is now also displayed correctly in the “About Melodyne” window.
- Stand-alone implementation: Activating the record-enable function via the track view in the Note Editor had no effect on the track pane, where the Record Enable button remained grayed out.

New in Version 5.3.1

The update to Version 5.3.1 contains improvements and bug fixes, which is why we recommend it to all users.

- Pro Tools with ARA: When repeated use was made of the Undo function in Melodyne, under very special circumstances Pro Tools could crash.
- ARA and plug-in: Under certain circumstances, not every note was included in local playback.
- ARA: When creating a new project, the DAW under certain circumstances displayed an error message even though the new project was error-free.
- ARA: When you switched back to Edit Mode from Note Assignment Mode, it could happen that the display scrolled all the way to the top instead of returning to the previous vertical position.
- Studio One: When Studio One was launched, a crash sometimes occurred while the Melodyne plug-in was being scanned.
- Digital Performer: Under rare circumstances, moving blobs could lead to a crash.
- Samplitude: In Melodyne 5.3, it sometimes happened that the ARA files of older projects were muted during playback.
- Stand-alone implementation: In Note Assignment Mode, execution of the “Convert Selection to Connected Sequence” function sometimes led to a crash.
- Stand-alone and ARA: On very high-resolution screens under macOS Monterey, crashes could occur in Full Screen Mode.
- Keyboard shortcuts: The assignments for Track Mode and Clip Mode were erroneously listed under “Editing Tools” instead of “View Configuration”, as they are now.
- Keyboard shortcuts: The Fade Tool and Sibilant Balance Tool now appear directly beneath the Amplitude Tool, which corresponds to the layout in the toolbox.
- Note Assignment Mode: Under certain circumstances when you were editing in Note Assignment Mode, individual notes were not played back.
- Time Handles: When undoing an edit made with the Time Handle Tool, it sometimes happened that the sound of the note in question remained unchanged.
- ARA: When the Universal algorithm was used, a display error (gaps between the blobs) sometimes occurred when blobs were being edited.

New in Version 5.3

The update to Version 5.3 contains improvements and bug fixes, which is why we recommend it to all users. Moreover, Melodyne 5.3 is required for ARA integration into Pro Tools 2022.9.

New features and improvements

- Surround: In both ARA and Transfer modes, Melodyne can now also be used for the editing of tracks in the standard surround formats.
- ARA in Pro Tools: Melodyne 5.3 comes with all the technical prerequisites for ARA integration into Pro Tools from Version 2022.9 upwards and thus makes a significantly improved workflow in Pro Tools possible.
- Preferences: When Melodyne is employed for the first time as a plug-in, it loads the set of keyboard shortcuts corresponding to the DAW you are using.

Bug fixes

- Recording: In the stand-alone implementation of Melodyne, you can now also use a recording device with a mono input (e.g. a MacBook microphone).
- ARA in Cubase: When moving an ARA event to a track that is not selected, the selection in Melodyne is now retained.
- Pro Tools: The position of the playback cursor in Melodyne is now correctly updated even when playback is stopped.
- AAX in Pro Tools: When bouncing/committing, Melodyne now correctly evaluates the offline setting.
- The Correct Pitch macro: When the macro was applied to a very large number of notes simultaneously, Melodyne would sometimes freeze. This no longer happens.
- Preferences: Previously, in ARA mode, the keyboard shortcut for “Playback Selection” was erroneously listed under “Others” instead of under “Transport Bar”. This has been fixed.
- The Note Inspector: The input field for Sibilant Balance now reliably accepts input even when multiple tracks are being edited simultaneously.
- ARA in Cakewalk by Bandlab: Under certain circumstances, Melodyne would crash when loading a session. This has been fixed.
- Ableton Live: The cause of random crashes when Melodyne was running in Live 11.1.1 under macOS Monterey on a Mac with an M1 chip has been detected and eliminated.
- Note editing: The “Restore Original” commands in the Edit menu now behave more consistently in the stand-alone implementation, in the Transfer plug-in and under ARA.

New in Version 5.2

New features and improvements

- **Compatibility:** In version 5.2, Melodyne now runs natively on Macs with Apple Silicon processors. The Mac version is supplied in Universal Binary format with native code for processors from Intel/AMD and Apple.
- **Pitch editing:** The scale snap behavior for pitch systems with closely spaced alternate stages has been improved.
- **The playback function:** In ARA mode and when using the transfer plug-in, you can now trigger playback of the current blob selection using the shortcut Alt+Space. If you would prefer to assign a different key combination to this shortcut, you can do so from the Shortcuts page of the Preferences dialog.
- **Cache:** The location of Melodyne's internal cache is now displayed in the Preferences dialog in ARA mode too, and you can alter its size.

Bug fixes

- **Pitch editing:** "Monitor When Editing Blobs" now also functions reliably with the arrow keys when pitch shifting.
- **Editing the tempo assignment** under certain circumstances led to a crash. Fixed.
- **Accidentally dragging a track** to the Project Inspector tab under certain circumstances led to a crash. Fixed.
- **Changing the pitch reference** at high zoom levels under certain circumstances led to a crash. Fixed.
- **Moving an inserted note separation** under certain circumstances generated an error message. Fixed.
- **Scale changes:** If the "Tuning and Mode" option is active when using "Notes Follow Scale Changes", notes are now moved correctly.
- **Windows:** Melodyne's file name extension is now correctly assigned.
- **Melodyne essential:** The option "Highlight Notes During Playback" has been added to the Options > Note Editor submenu.
- **Stand-alone mode:** When the Replace Audio command has been used, local playback now correctly reflects the track selection.
- **Melodyne essential:** The option "Show Fades" that appeared erroneously in the Options menu has been removed.
- **The Note Inspector:** When algorithms without sibilant detection are in use, the Sibilant Balance parameter is now grayed out.
- **Selection:** When removing a note separation results in two blobs merging, the resulting blob is now also selected in ARA mode.

New in Version 5.1.1

- Change: A workaround has been integrated for ARA compatibility with Mixcraft 8.
- Fixed: Lead sheets are now exported correctly via MIDI.
- Fixed: In Apple Logic, playback can also now be started reliably from Melodyne.
- Fixed: Under macOS, shortcuts using the “cmd” and function keys are now displayed correctly.

New in Version 5.1

Features and improvements

- macOS 11 Big Sur: Melodyne 5.1 is compatible with macOS 11 Big Sur on Intel-based Macs as well as on ARM-based Macs under “Rosetta”.
- DAW-oriented keyboard shortcuts: We are always looking for ways to make the operation of Melodyne even easier for users of digital audio workstations. That’s why we’ve included sets of keyboard shortcuts customized for Pro Tools, Logic, Cubase and Studio One in Version 5.1. You can choose the set you want from the Shortcuts page of the Preferences dialog.
- Exporting lead sheets: It is now possible to export the contents of the Chord Track as a lead sheet via MIDI; you will find the relevant command in the Chord Track’s context menu.
- Algorithm selection: During ARA operation with Cakewalk, Melodyne’s Select Algorithm menu is now displayed prior to any MIDI export.
- ARA improvements: The interaction with ARA DAWs has been optimized in various ways – partly to ensure compatibility with future DAW versions.
- New keyboard shortcuts: It is now also possible to assign keyboard shortcuts to the following commands: “Show Sibilants”, “Note Leveling”, “Copy Song Data to Note Assignment...” and “Copy Note Assignment Data to Song...”.

Bug fixes

- A keyboard shortcut assigned to “Toggle Cycle Mode” now also works reliably when Melodyne is running as a plug-in and under ARA.
- MIDI export has been improved and muted notes are no longer included in the export.
- Under macOS, keyboard shortcuts using the function keys are now also correctly displayed in the menu.
- The “Set Cycle to Selection” function now also works correctly in Studio One.
- When you stop playback in Pro Tools, the playback cursor in Melodyne now remains where it was when playback was halted, instead of springing back to the previous start position.

New in Version 5.0.2

- Bugfix: The installation program no longer launches under Windows 7, displaying instead a message saying that Windows 7 is not supported.
- Bugfix: In the Note Editor, you can now also place time handles without having to select a note first.
- Bugfix: In the Note Editor, you can now also move note separations without having to select a note first.
- Bugfix: In Samplitude X5, when a new audio file is detected, whichever algorithm is selected as the default is now used.
- Bugfix: There is no longer a delay before newly inserted note separations are displayed in the Note Editor.
- Bugfix: In Cubase (in Transfer mode, i.e. without ARA), Melodyne still displays correctly even if you have changed the size of its window.
- Bugfix: During local playback in ARA mode, overlapping notes are no longer erroneously played back at the comping boundaries.

New in Version 5.0.1

- Bugfix: Use of the “Separate Notes as Trills” command no longer produces occasional artifacts.

User manuals for older versions

Melodyne studio, editor, assistant and essential 4

The user manuals for Version 4 in English, German, French, Japanese and Spanish as PDFs in ZIP archive file format:

[Melodyne studio](#) | [Melodyne editor](#) | [Melodyne assistant](#) | [Melodyne essential](#)

These versions were replaced in May 2020 by Melodyne 5 studio, editor, assistant and essential.

Melodyne editor, assistant and essential 2 (singletrack)

The user manuals for Version 2 in English, German, French, Japanese and Spanish as PDFs in ZIP archive file format:

[Melodyne editor](#) | [Melodyne assistant](#) | [Melodyne essential](#)

These versions were replaced at the beginning of 2016 by Melodyne 4 editor, assistant and essential.

Melodyne studio 3

The user manual for Melodyne studio 3 is available here in PDF format:

[English](#) | [German](#) | [French](#) | [Spanish](#) | [Japanese](#)

This version was replaced at the beginning of 2016 by Melodyne 4 studio.

Ending support for older versions of Melodyne

The following versions of Melodyne are very out of date and no longer compatible with current operating systems. For that reason, support for them was discontinued at the end of 2018. It is no longer possible, therefore, to download, activate or obtain technical support for these versions of Melodyne:

- Melodyne studio versions 1 and 2
- Melodyne cre8
- Melodyne uno
- Melodyne plugin
- Melodyne essential from a Digidesign or E-mu bundle

We have, however, provided links to free updates to the latest versions of all the discontinued products. If you have one of them and have not already received a notification from us to this effect, please contact our support for an update.